

# SAFETY DATA SHEET

## Walther Strong Marine Acoustic D/S tape



### Section 1 - Identification of The Material Manufacture

Company Details:  
Walther Strong & Company Ltd  
Unit 3  
Autumn Park Business Centre  
Dysart Road, Grantham  
NG31 7DD

### Section 2 - Hazards Identification

Classification of the Substance or mixture : Not a dangerous substance or mixture

### Section 3 - Composition/Information on ingredients

Substance / Mixture : Article

Properties	Information
Colour	Black
Surface	Smooth, Granular
Density	636kg/m <sup>3</sup>
Tensile Strength	0.31N/mm <sup>2</sup> (EN ISO 1978)
Elongation at Break	42% (EN ISO 1978)
Thickness (specified to product)	5mm nominal
Service Temp. Range	-30°C to + 82°C

Application: Acoustic insulating compliance with Approved Document Part E on various concrete and timber floors. Suitable for textile floor finishes, timber overlays, packing and laminate flooring .

Appearance & Packaging Supplied in rolls in stock sizes (other sizes available on request - 50 x 10m)

### Section 4 - First Aid Measures

General advice : In the case of accidental swallowing, seek medical advice immediately.

If inhaled : N/A

In case of skin contact : N/A

In case of eye contact : N/A

If swallowed : If swallowed, immediately get medical attention.

Most important symptoms and effects, both acute and delayed : No information available

Protection of first aiders : No information available

# SAFETY DATA SHEET

## Walther Strong Marine Acoustic D/S tape



### Section 5 - First Aid Measures

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	: No information available
Specific hazards during fire fighting	: No information available
Hazardous combustion products	: N/A
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers / remove undamaged containers from fire area if it is safe to do so.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

### Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures	: Will not occur. Not specified.
Environmental precautions	: Will not occur. Not specified.
Methods and materials for containment and cleaning up	: Will not occur. Not specified.

### Section 7 - Handling and Storage

#### Treatment

Technical measures	: None in particular.
Local and general exhaust ventilation	: Not required for use in normal temperature Provide adequate ventilation when performing high-temperature processing.
Remarks	: Use caution and protective gloves to avoid cuts with edges of tape and tape liners.
Precautions for safe handling	: None in particular.

#### Storage

Technical measures	: None in particular.
Storage Conditions	: Store in a dark, cool (below 107F) and normal humidity place.
Storage conditions to avoid	: Avoid high temperature and high humidity.
Incompatible materials	: No information available.
Conditions for safe storage, including any incompatibilities	: Shipping package.

# SAFETY DATA SHEET

## Walther Strong Marine Acoustic D/S tape



### Section 8 - Exposure controls/personal protection

Control Parameters	: Unset
Permissible Concentration	: Unset
Appropriate engineering controls	: Not required
Personal Protective Equipment (PPE)	
Respiratory Protection	: Not required
Hand Protection	: Not required
Eye Protection	: Not required
Skin Protection	: Not required
General Hygiene Considerations	: None under normal use conditions

### Section 9 - Exposure controls/personal protection