MERCHANT CATALOGUE 2024

WALTHER Strong.

PROFESSIONALS USE WALTHER STRONG

TAPES & ADHESIVES

beko

All prices plus VAT Trustpilot ★ ★ ★ ★ We are rated 4.8 out of 5

111

1000

sales@waltherstrongandco.com www.waltherstrong.com 01780 437 222

2024 CATALOGUE

Mission Statement

'Walther Strong has one single objective which is to provide solutions to your common construction problems...' - Fred Dunn, MD

MISSION

Our mission is to provide a range of tapes and adhesives of the highest quality to builders merchants and construction companies. We aim to improve workflow, longevity and overall quality of the project.

We do this by combining the best raw materials and the finest products married in unique formulas, to provide innovative solutions to reoccurring or standardised problems.

VISION

Our vision is to increase the standard of build quality at an uncompromising affordable cost.

Longevity and innovation is at the forefront of our vision to ultimately raise the bar of our sector.





PROJECT ACQUISITION

Case Studies from 2023

During 2023 Walther Strong was commissioned by a range of clients to provide materials across the globe to assist with their construction builds.

Our company's tapes and adhesives are crafted with innovation at their core, redefining the standards of durability, versatility, and reliability. Infused with cutting-edge technology, our tapes have unparalleled adhesive strength, ensuring steadfast bonds across diverse surfaces and environments.

From heavy-duty industrial applications to delicate crafting needs, our adhesive solutions cater to a spectrum of requirements, offering precision, resilience, and ease of use. Our products are engineered to excel in challenging conditions, delivering superior performance that stands the test of time. With a commitment to quality and a dedication to meeting the evolving demands of our customers, our tapes and adhesives redefine adhesive solutions, setting a benchmark for excellence in the industry.

Ranging from bespoke innovative solutions to more legacy associated products, Walther Strong has now supplied over 10 countries.

JEDDAH

A well known Jeddah project sourced Walther Strong HD Marine Acoustic tape for its intense properties to irradicate sound disruption within its marinas.





SWITZERLAND

A Swiss Chalet sourced 5000 linear meters of Walther Strong Decktape Pro to enhance the life of the timber subframe.

CANADA

Canadian Hotel 'Paradox' sourced Walther Strong Liquid Tape for its unique properties to be able to protect surfaces from accidental damage during refurbishment.



TABLE OF CONTENTS

"The main problem we solve is reducing wasted time.

It's the one resource we cannot reproduce and we very much respect that"

- Fred Dunn MD

| D6-09PAINTING AND DECORATINGH20 LIQUID MASK INTERIOR LIQUID TAPE MASKING TAPEP07 P08 P09 |
|---|
| 10 - 16REINFORCEMENT MESHSCRIM TAPE RENDER MESH 1M ROLLSP11 P12 RENDER MESH SIZES DRYLINING SCRIM ULTRA FINE MATI MESH EVERYDAY WHITE SCRIMP11 P11 P13 |
| 17 - 21INTERIOR TAPESCLEANROOM TAPEP18ULTIMATE DUCT TAPESP19UTILITY DUCT TAPESP20NO RES TAPEP21 |
| 22 - 25DECKINGDECKTAPEP23DECKTAPE INFOP24DECKTAPE PROP25 |
| 26-30LANDSCAPINGCLAD TAPE POST TAPE POST TAPE INFO SLEEPER TAPEP27 P28 P29 P30 |
| 31 - 33ROOFINGBUTYL TAPE ALUMINIUM FOIL TAPEP32 P33 |
| 34 - 37RILICONE FAMILYSMOOTHING SPRAY SILICONE JOINT SPATULASP35 P36 P37 |
| 38-46FIRE RATED VEIL MESHP39SNVELOPE TAPESFIRE RATED VEIL MESHP40HD ACOUSTIC TAPEP41ENVELOPE TAPESEXPANDING FOAM TAPEP42GALAGO TAPEP43MATI MOUNTP44HOUSEWRAPP45FLASHING/ AIRTIGHT TAPEP46 |



PAINTING AND DECORATING

Your time is important to us!

What does Painting and Decorating have to do with tape??? Well... we will tell you. During our time in the industry, the constant feedback we received from tradesmen, was that protecting surfaces was a HUGE time consumer, and took up a large amount of their working week when on jobs. Not to mention tedious! Considering the issue, Walther Strong developed two products for the painting and decorating community to assist with this problem.

<u>H20</u>

H20 liquid prime and mask is both a primer and a painting seperator. Proven by contractors to be more cost-effective than masking up and saving large amounts of time through application. Plus its so satisfying to use.

LIQUID TAPE

With naturally sourced materials and being completely biodegradable, this product can be classified as a natural based latex. Despite its yellow colouring and its polymer look this product won't just mimic the properties of masking tape but also solidify over 'hard to mask' areas making it the perfect addition to protecting surfaces in high activity areas. Bathrooms and shower basins get covered with the thick material and are left to dry. Once dried a protective barrier is formed leaving the surrounding areas to be modified without compromising the treated area. Once perfected it is simply peeled away.

sales@waltherstrongandco.com

01780 437 222

H20 LIQUID MASK

FEATURES

- 2 IN 1 PRIMER AND MASK
- CAN BE APPLIED WITH A SPRAYER [BOTH HVL AND AIRLESS] / ROLLER OR BRUSH
- PROVEN BY CONTRACTORS TO BE MORE COST EFFECTIVE THAN TRADITIONAL MASKING UP
- ACHIEVE PERFECT PAINT SEPARATION AND CLEAN EDGES WITH MINIMAL EFFORT.
- SIMPLE 4 STEP PROCESS.

| PRODUCT CODE | PRODUCT DESCRIPTION | ΒΟΧ QTY |
|-----------------|---------------------|---------|
| H20-PRIME-1LTR | 1LTR TIN | 6 |
| H20-PRIME-5LTR | 5LTR BUCKET | 1 |
| H20-PRIME-25LTR | 25LTR BUCKET | 1 |









MASKING TAPE

We make sure that the pros who insist on cutting in and masking up with tape are supplied with one of the best on the market - no tack lost once opened constant reliability (P9).

INTERIOR LIQUID TAPE

FEATURES

- PERFECT FOR DIFFICULT SHAPES AND/OR ROUGH SURFACES
- PROTECTIVE AND DURABLE YET FLEXIBLE MEMBRANE
- SIMPLY PAINT ON, DRY AND PEEL OFF ONCE THE JOB IS DONE
- EASY MASKING OF DIFFICULT SHAPES WITH UNEVEN EDGES
- CLEAN REMOVAL WITH NO DAMAGE TO THE INITIAL SURFACE
- REGULARLY USED AS A PROTECTION TO THE SURROUNDING AREA
 WHEN SANDBLASTING BEAMS







DID YOU KNOW?

This product is a natural based latex product! Its biodegradable and non plastic - perfect for your ecoconcious friends and family when considering the environment.



| PRODUCT CODE | PRODUCT DESCRIPTION | ΒΟΧ QTY |
|--------------|---------------------|---------|
| WSLT-PRO250 | 250ML TIN | 12 |
| WSLT-PR01 | 1LTR TIN | 5 |
| WSLT-PR02.5 | 2.5LTR TIN | 4 |
| WSLT-PR05 | 5LTR TIN | 1 |


PREMIUM MASKING TAPE

FEATURES

- PREMIUM QUALITY MADE WITH ONLY THE BEST MATERIAL
- HIGH QUALITY COLOUR SEPARATORS
- 14 DAY RESIDUE-FREE AND UV RESISTANCE
- HIGH TENSILE STRENGTH TO PREVENT UNNECESSARY TEARING
- AVAILABLE IN 3 POPULAR WIDTHS 25MM [1 INCH] / 38MM [1.5 INCH] AND 50MM [2 INCH]

| PRODUCT CODE | PRODUCT DESCRIPTION | ΒΟΧ QTY |
|-----------------|---------------------|---------|
| GP-14PR025X50/1 | 25MM X 50MTR | 36 |
| GP-14PR038X50/1 | 38MM X 50MTR | 24 |
| GP-14PR050X50/1 | 50MM X 50MTR | 24 |

With a UV resistant, high tack hybrid adhesive, this premium masking tape has a very good tensile strength for masking, bundling, holding & packing. Removes cleanly from a variety of surfaces after up to 14 days – leaving no residue. Excellent adhesion on wood, glass, plastic, metal and more!



WOVEN MESH



What makes our Scrim Tape different?

During 2023 Walther Strong set out to change how people thought about Scrim tape - it isn't just another item... it's an essential supporting product in the process of plastering. Therefore, after reaching out to the plastering community, we received feedback to make the mesh finer, with greater adhesive and stronger mesh fibres.

Our woven mesh range doesn't just stop at Scrim. We have been busy manufacturing ALKAMAXX coated render mesh, which has one of the best alkali-resistant coatings on the market, to ensure that there is no decay associated with rendering throughout the project's lifetime.

Finally our bespoke range of White Scrim and Ultra fine woven mesh has come to the forefront of our range getting new use cases in professions such as venetian plastering and reinforcement for concrete screed floors. A bespoke use for the Ultra fine mesh is to apply to houses from the Victorian era. The ultrafine mesh will reinforce the buildings structure and reduce the amount of multifinish/plaster due to the smaller widths of the product.

> 50mm, 75mm and 100mm all used on the rennovation **Artisan Plastering**

> > 01780 437 222

Castle Inverness

sales@waltherstrongandco.com

ORANGE SCRIM TAPE

FEATURES


- TESTED AND APPROVED IN BOTH HOT AND COLD ENVIRONMENTS
- INCREASED ADHESIVE TO DOUBLE THE TACK
- HEAVY DUTY SCRIM FOR THE BEST ANTI-CRACK FINISH
- ALKALI RESISTANT

RELIABLE

STICKIER

ORANGE FOR A REASON – EASY TO SEE WHEN FLOATING OFF

| PRODUCT CODE | PRODUCT DESCRIPTION | ΒΟΧ QTY |
|---------------------|---------------------|---------|
| TP-ORNSCRIM50X90PR | 50MM X 90MTR | 36 |
| TP-ORNSCRIM75X90PR | 75MM X 90MTR | 24 |
| TP-ORNSCRIM100X90PR | 100MM X 90MTR | 18 |





EASY & QUICK TO APPLY WITH DOUBLE ADHESIVE

TP-ORNSCRIM50X90PR www.waltherstrong.com 50MMX90MTR 01780 437222

therstrong.com in DO f S

EXTRA FINE MESH 25% MORE ADHESION

CORE CONCEPTS

- FINER MESH
- 25% MORE ADHESION
- STRONGER TENSILE STRENGTH

ALL LEADS TO FASTER INSTALL TIME AND A MORE RELIEABLE PRODUCT

RENDER MESH - 1M RANGE

FEATURES

- HEAVY DUTY, SUPER STRONG & FLEXIBLE
- VERSATILE APPROVED FOR USE WITH ALL MAJOR PLASTERS AND RENDERS
- DURABLE EXCEEDS DIN 53857
- EASY TO USE CUT TO SIZE WITH KNIFE OR SCISSORS
- SAFE NO SHARP EDGES
- MAINTENANCE FREE TEAR AND WATER RESISTANT
- THE NUMBER #1 ALKALINE RESISTANT COATING IN EUROPE

| PRODUCT CODE | PRODUCT DESCRIPTION | ΒΟΧ ΟΤΥ |
|-----------------------|---------------------|---------|
| HD-RFMESH/1000-4X4 | WHITE 1MTR X 50MTR | 3 |
| HD-RFMESHORN/1000-4X4 | ORANGE 1MTR X 50MTR | 3 |
| HD-RFMESH/1000-4X4 | WHITE 1MTR X 50MTR | 40 |
| HD-RFMESHORN/1000-4X4 | ORANGE 1MTR X 50MTR | 40 |
| | | |





INTRODUCING OUR LATEST INNOVATION IN RENDER MESH TECHNOLOGY, ENGINEERED TO REDEFINE DURABILITY IN THE MARKET. OUR NEW RENDER MESH RANGE, BOASTS AN UNPARALLELED ALKALI-RESISTANT COATING, SETTING A NEW STANDARD FOR LONGEVITY AND PERFORMANCE IN CONSTRUCTION MATERIALS - IT'S ALKAMAXX

SPECIALLY CRAFTED TO WITHSTAND THE HARSHEST ALKALINE ENVIRONMENTS, THIS ADVANCED COATING ENSURES EXCEPTIONAL RESILIENCE AGAINST DETERIORATION, GUARANTEEING AN EXTENDED LIFESPAN FOR YOUR RENDERS.

OUR RENDER MESH RANGE OFFERS UNPARALLELED PROTECTION, PROVIDING PEACE OF MIND FOR BUILDERS, ARCHITECTS, AND HOMEOWNERS ALIKE.

ALKAMAXX MESH WORKS WITH ALL ETICS SYSTEMS

 \bigcirc \bigcirc \bigcirc

19

RENDER MESH - CUT TO SIZE

FEATURES

- 100MM GUIDELINES FOR EASE OF USE
- PRE CUT TO 3 DIFFERENT SIZES
- 3X SIZES IN EACH COLOUR
- WAVED MESH FOR EASY OVERLAP
- MAINTENANCE FREE TEAR AND WATER RESISTANT
- THE NUMBER #1 ALKALINE RESISTANT COATING IN EUROPE

| PRODUCT CODE | PRODUCT DESCRIPTION | ΒΟΧ ΟΤΥ |
|-----------------------|----------------------|---------|
| HD-REPMESH/200-4X4 | WHITE 200MM X 50MTR | 20 |
| HD-REPMESHORN/200-4X4 | ORANGE 200MM X 50MTR | 20 |
| HD-REPMESH/330-4X4 | WHITE 330MM X 50MTR | 12 |
| HD-REPMESHORN/330-4X4 | ORANGE 330MM X 50MTR | 12 |
| HD-REPMESH/500-4X4 | WHITE 500MM X 50MTR | 6 |
| HD-REPMESHORN/500-4X4 | ORANGE 500MM X 50MTR | 6 |



TO WATCH OUR ENTIRE RENDER MESH MANUFACTURING PROCESS AND COATING APPLICATIONS SCAN THE QR CODE BELOW



DATA POINTS, CORE INFOMATION AND PRODUCT GUIDANCE CAN ALL BE FOUND ON THIS PAGE.



13

NEVER HEARD OF ALKAMAXX?

ITS THE MARKET NAME FOR THE BEST ALKALI RESISTANT COATING NOW ON OUR WHOLE RENDER MESH RANGE!

DRYLINING SCRIM TAPE

FEATURES

- DESIGNED FOR DRYLINERS 180MTR ROLLS TO MAXIMISE EFFICIENCY
- WHITE COLOUR FOR BEST VISIBILITY COVERAGE
- PERFECT WITH AN APPLICATION GUN FOR EASY SINGLE-HANDED USE
- AVAILABLE IN 50MM X 180MTR SIZE
- SUPERIOR ADHESIVE

| | PRODUCT CODE | PF | RODUCT DESCRIPTION | ΒΟΧ QTY | |
|---------------------|--|--------------|--|----------------|------|
| | TP-XLSCRIM50X180 | 50 | MM X 180MTR WHITE | 12 | |
| | To enquire a | bout the MAI | RSHALLTOWN gun - please call us | | |
| | AITUR | | STOR LANK HA CLASSE PROFESSIONAL DRVILINING SCRIMT TAPE PROFESSIONAL DRVILINING SCRIMT TAPE REASTRONG REPARTS AUTOMIC STRUCT FLASTRONG REPARTS AUTOMIC STRUCT CALLER TO THE STRUCT REASTRONG REPARTS AUTOMIC STRUCT REASTRONG REASTRUCT REASTRUCT REASTRUCT REASTRONG REASTRUCT RE | | |
| | | | The 180mm is for the pl who has very large cont than any other scrim tap | racts on - LON | IGER |
| SIONAI | L DRYLINING SCRIM TAPE | F | | | |
| 32/ | 180MTR X 50M | M | | | |
| F ADHESI Sterboa | VE GLASS FIBRE JOINT TAPE FOR RD & REPAIRS - ALKALI RESISTANT | / | Perfect compatibility wi MARSHALLTOWN gun corners and patching up | that complete | |
| TP-XLSCIMR DDDD | 50X180 E S w.waitherstrong.com 01780 437222 | | | | |





eed.



ULTRA FINE MATI MESH

FEATURES

- TESTED AND APPROVED FOR USE WITH ALL MAJOR PLASTERS AND RENDERS
- PERFECT FOR INTERNAL USE WHERE A PREMIUM FINISH IS REQUIRED
- ULTRA THIN MESH COMPLIMENTING VENETIAN PLASTERING
- THIN, DURABLE AND GREAT TO USE WITH MICROCEMENT
- EASY TO CUT AND MODIFY FOR BESPOKE JOBS
- GREAT FOR COVERING INTERNAL CRACKS AND CREASES

AS USED BY BELLO VENTIAN PLASTERING




HAVE YOU SEEN OUR PULL TEST?....

We have a lab on site, where we make new products and ranges. Before we can release them into the market we test them vigorously.

Scan the QR CODE to watch our full scrim test and how our meshes compare to other ranges in the industry. Long and technical, but interesting none the less.





| PRODUCT CODE | PRODUCT DESCRIPTION | ΒΟΧ ΟΤΥ | |
|---------------|---------------------|---------|--|
| UFMESH50X1WHT | 1MTR X 50MTR | 3 | |
| UFMESH50X1WHT | 1MTR X 50MTR | 40 | |

WHITE SCRIM TAPE

FEATURES

- ELIMINATES THE NEED FOR PRE-PLASTERING
- ADHESIVE TESTED IN A VARIETY OF ENVIRONMENTS
- PREVENTS CRACKING IN PLASTER
- AVAILABLE IN 3 SIZES 50MM [2"] / 75MM [3"] AND 100MM [4"]

| PRODUCT CODE | PRODUCT DESCRIPTION | ΒΟΧ QTY |
|------------------|---------------------|---------|
| TP-SCRIM50X90PR | 50MM X 90MTR WHITE | 36 |
| TP-SCRIM75X90PR | 75MM X 90MTR WHITE | 24 |
| TP-SCRIM100X90PR | 100MM X 90MTR WHITE | 18 |







POS SINAGE AND MATERIALS


BIRDCAGE The birdcage is perfect for showcasing all three sizes (left)

POWER PALLET Best bulk POS needs floorspace but very effective when positioned at entrances (middle top right)



WALL HANG Great for unused wall space and add ons (far right).

TRIPOD Perfect for desk counters and smaller areas (bottom middle left).



INTERIOR TAPES



Quality over Quantity

Our company takes immense pride in crafting the finest interior tapes available on the market today. What sets our products apart is a meticulous blend of cutting-edge technology, premium-quality materials, and a relentless commitment to excellence.

First and foremost, our interior tapes are engineered to deliver unparalleled performance. They're designed to withstand varying conditions, ensuring steadfast adhesion and durability. The adhesive we use is not only strong but also residue-free, easy and clean removal without any damage or unsightly marks left behind.

Moreover, our tapes undergo rigorous testing to meet and exceed industry standards. From superior tensile strength to exceptional flexibility, they're built to handle a wide array of applications, For painting, masking, or securing surfaces during renovation or construction.

What truly distinguishes our interior tapes, however, is our unwavering dedication to customer satisfaction. We actively listen to feedback, incorporating user insights into continuous improvements, ensuring that every roll of tape delivers consistent, reliable results.

Ultimately, our commitment to innovation, quality, and customercentricity is what makes our interior tapes the preferred choice for the professionals and DIY enthusiasts who seek to use nothing but the best for their projects.

sales@waltherstrongandco.com

01780 437 222

CLEANROOM TAPE

FEATURES

- DESIGNED FOR RENOVATION OR PLASTERING TO PROTECT DELICATE OR IMPORTANT SURFACES
- HIGH ADHESION LEVEL
- INSULATOR UP TO 600V
- LEAVES NO MARKS OR RESIDUE WHEN PEELED OFF
- UNIQUE AND EASY TO TEAR TO SIZE BY HAND TEAR RIBBING
- ROHS CERTIFIED AND MEETS COSHH REGULATIONS



ALWAYS TEST THE SURFACE BEFORE USE. INTERIOR USE ONLY.

ULTIMATE DUCT TAPE

FEATURES

- QUADRUPLE LAYER REINFORCEMENT FOR HEAVY DUTY APPLICATIONS
- WEATHER-PROOF COMPATIBILITY FOR ALL REPAIRS
- EASY-CUT WITH SCISSORS OR A KNIFE
- AVAILABLE IN 3 COLOUR VARIATIONS
- TWO DIFFERENT WIDTHS 50MM [2 INCH] AND 75MM [3 INCH]

| PRODUCT CODE | PRODUCT DESCRIPTION | ΒΟΧ ΟΤΥ | |
|---------------|---------------------|---------|---|
| TP-WHT50X50PR | 50MM X 50MTR WHITE | 24 | |
| TP-BLK50X50PR | 50MM X 50MTR BLACK | 24 | |
| TP-SIL50X50PR | 50MM X 50MTR SILVER | 24 | |
| TP-WHT75X50PR | 75MM X 50MTR WHITE | 16 | 2 |
| | | | |



WALTHER STRONG ULTIMATE DUCT TAPE PROVIDES NUMEROUS TAPING SOLUTIONS INCLUDING PATCHING, BUNDLING, REINFORCING, TABBING, TAPING/SPLICING INSULATION, CAPPING PIPES, SECURING CONDUIT ENDS, MARKING, LABELLING, TEMPORARY REPAIR, HANGING POLYETHYLENE SHEETS AND PROTECTING AGAINST LIGHT SANDBLAST OVERSPRAY.

DESIGNED AND MANUFACTURED TO BE MOULD- AND WATER-RESISTANT, ULTIMATE DUCT TAPE'S STRONG FORMULATION ADHESIVE IS PERFECT FOR MORE DEMANDING APPLICATIONS.

UTILITY DUCT TAPE

FEATURES

- TRIPLE LAYERED FOR STRENGTH AND DURABILITY
- IDEAL FOR EVERY-DAY REPAIRS AND BUNDLING
- EASY-CUT WITH SCISSORS OR A KNIFE
- AVAILABLE IN BOTH BLACK AND SILVER
- TWO DIFFERENT WIDTHS 50MM [2 INCH] AND 75MM [3 INCH]

| PRODUCT CODE | PRODUCT DESCRIPTION | ΒΟΧ QTY |
|---------------|---------------------|---------|
| UT-BLK50X50PR | BLACK 50MM X 50MTR | 24 |
| UT-SIL50X50PR | SILVER 50MM X 50MTR | 24 |
| UT-BLK75X50PR | BLACK 75MM X 50MTR | 16 |
| UT-SIL75X50PR | SILVER 75MM X 50MTR | 16 |

Example colours are not exact. Only for general guidance



UTILITY DUCT TAPE IS THE GO-TO TAPE FOR EVERYDAY USE. TRUSTED BY CONTRACTORS, DEVELOPERS AND BUILDERS ACROSS THE UK, IT'S A QUICK SOLUTION FOR HOLDING, SEALING AND BUNDLING.

EASY TO TEAR ALONG THE REINFORCED FIBRES IN THE TAPE, YET EXTREMELY TOUGH AND VERSATILE. APPLICATION BY HAND ACTIVATES THE PRESSURE SENSITIVE ADHESIVE AND GIVES IT THE GRIP YOU NEED.

MULTI-SURFACE, WIDELY USED IN BUILDING AND AGRICULTURAL USES. IDEAL FOR HIGH-VOLUME, PRICE CONSCIOUS USERS; SUITABLE FOR GENERAL USE, BOTH INDOORS AND OUTDOORS.

NO-RES TAPE

FEATURES

- AN ALTERNATIVE TO DUCT TAPE WHICH LEAVES NO RESIDUE
- UNIQUE EASY-TEAR TECHNOLOGY
- HIGH ADHESION AND COHESION LEVELS
- LEAVES NO MARKS OR RESIDUE ON INTERIOR APPLICATIONS
- PRO-TEAR TECHNOLOGY. DESIGNED TO BE REUSABLE

| 1 | PRODUCT CODE | PRODUCT DESCRIPTION | ΒΟΧ QTY |
|-------------|---|-------------------------------|-------------------------|
| | NR-ORN50X33P | NO-RES TAPE ORANGE 50MM X 33M | 24 |
| | NR-BLK50X33P | NO-RES TAPE BLACK 50MM X 33M | 24 |
| | NR-SIL50X33P | NO-RES TAPE SILVER 50MM X 33M | 24 |
| | NR-WHT50X33P | NO-RES TAPE WHITE 50MM X 33M | 24 |
| CARPET | | | GLASS |
| NO | | | |
| NO- RESIDUE | ELECTRICAL INSULATOR EASY TEAR HIGH STR | ENGTH REPOSITIONABLE | RES [*] |

DECKING



01780 437 222

There IS noting better...

Decktape[®] is the renowned global leader in joist and timber protection. It's a superior product to apply to wood than butyl or bitumen products which have been common applications for years.

When you take into consideration that decking projects cost anywhere from £3,000 up we couldn't understand why the timber subframe of the deck wasn't protected with the highest quality material. Decktape costs 3% of the overall decking project cost and will enhance your deck frame life for up to 15 years.

Our Timber Protection range is a one stop solution to Timber protection. Its a product that's, more environmentally friendly, cures into the wood, breathing with the timber, doesn't crack under weather changes, ensuring the composite materials are sat on sturdy subframes for years to come. We believe our timber tapes are a logical investment!



DID YOU KNOW...


That Millboard install over 19,500,000 liner meters of composite decking in the UK alone every year?

sales@waltherstrongandco.com

DECKTAPE®

FEATURES

- UV STABLE
- COMPLETELY SELF-SEALS AROUND FIXINGS
- AVAILABLE IN 8 WIDTHS
- PERMANENT ADHESIVE BOND GUARANTEED FOR 50 YEARS
- MADE WITH RECYCLED & SUSTAINABLE MATERIALS
- ADHESIVE CURES INTO TIMBER OVER THE NEXT 7 DAYS FOR THE **OPTIMUM BOND - PTO FOR INFOGRAPHIC**



DECK TAPE: 50mm 200 (TAPE: 55mm 200) TAPE: 100mm 200) TAPE: 100mm 200

00900 J0900 J0900

PARTNERED WITH

accoya 🛆

% & & &

23

ECK TAPE

ECK TAPE

ECK TAPE


TAPE

- **(2) ULTRA HIGH STRENGTH WEAVE**
- **③ UV & WATERPROOF LAYER**
- (4) SPECIALIST PMMA ADHESIVE
- (5) EASY PEEL PAPER BACKING

| 50MM | 65MM 82MM 100MM 150MM 200MM | 250MM 300MM |
|---------------|-----------------------------|-------------|
| PRODUCT CODE | PRODUCT DESCRIPTION | BOX QTY |
| WS50PRO20BLK | 50MM X 20MTR BLACK | 30 |
| WS65PRO20BLK | 65MM X 20MTR BLACK | 24 |
| WS82PRO20BLK | 82MM X 20MTR BLACK | 18 |
| WS100PRO20BLK | 100MM X 20MTR BLACK | 15 |
| WS150PRO20BLK | 150MM X 20MTR BLACK | 10 |
| WS200PRO20BLK | 200MM X 20MTR BLACK | 6 |
| WS250PRO20BLK | 250MM X 20MTR BLACK | 6 |
| WS300PRO20BLK | 300MM X 20MTR BLACK | 6 |

DECKTAPE INFOGRAPHIC

24



Completely self-sealed when fastener is driven through the DeckTape ®

DECKTAPE PRO®

FEATURES

- 2.5X BIGGER & 2.5X FASTER
- MADE WITH RECYCLED MATERIALS
- NO BACK LINER ON THE TAPE FOR QUICKER APPLICATION
- UV STABLE WILL NOT BREAK DOWN WITH SUN
- PROTECTIVE DECK TAPE FOR THE PROFESSIONAL LANDSCAPER
- CONTACT COMPLETELY SELF SEALS AROUND FASTENERS
- PERMANENT ADHESIVE BOND GUARANTEED FOR 25 YEARS



DeckTape PRO revolutionises timber framework protection by offering unmatched speed, eco-friendliness, and cost-effectiveness compared to any other like for like product. The innovative design enables rapid application due to having no liner on the tape, ensuring swift and efficient coverage of timber frameworks all on a 50M roll. With DeckTape, you get unbeatable efficiency, sustainability, and value for safeguarding your timber framework.



25

PARTNERED WITH

accoya 🛆

LANDSCAPING



01780 437 222

Designed by the Pros

When looking at the landscaping industry we saw three sectors that were in desperate need of attention. They were:

- FENCING
- CLADDING
- SLEEPERS

For us, it's about sustainability, increasing our positive economic impact and saving the installer time where we can. Why paint a less effective timber protection onto your products that leach into your soils? Why spend hours putting multiple coats onto a product when you can spend 2 minutes taping your timber utilising your workforce? Why wait for your timber protection to dry?

We promise once you use our landscaping range, you'll never go back.

DID YOU KNOW ...

That the average lifespan of treated timber fencing is only 5 years without protection?

sales@waltherstrongandco.com

CLADTAPE®

FEATURES

- COMPLETELY UV STABLE
- APPROVED REPLACEMENT TO EPDM
- ADHESIVE BOND GUARANTEE FOR 25 YEARS
- SELF-SEALS AROUND ANY FASTENERS
- MADE WITH THE BEST NON-BUTYL PRODUCT ON THE MARKET
- MADE WITH RECYCLED & SUSTAINABLE MATERIALS

| PRODUCT CODE | PRODUCT DESCRIPTION | ΒΟΧ QTY |
|--------------|---------------------|---------|
| CT50PRO20BLK | 50MM X 20MTR BLACK | 30 |
| CT65PR020BLK | 65MM X 20MTR BLACK | 18 |

It's not all about what it looks like on the outside, if you have a stunning cladding board its worth investing on the substructure. Walther Strong Clad Tape ® is a non-butyl selfsealing tape manufactured from a strong polymer acrylic adhesive, which gives the timber battens a completely waterproof and weatherproof seal. With a 25-year guarantee, Clad Tape ® ensures your battens last as long as your composite cladding boards. Non-Butyl tapes are particularly suitable for this application as they are completely UV stable and keep their integrity for longer. This means that they have many advantages over both butyl and asphalt tapes. In addition to this, it is stable from -40C to +93C with no cracking, peeling or strength loss.



PARTNERED WITH

accoya 🛆

POST TAPE®

FEATURES

- QUICK AND EASY TO APPLY NO HASSLE
- NO APPLICATION TOOLS OR KITS NEEDED
- 100MM/150MM AND 200MM WIDTHS DESIGNED TO PROTECT THE 'ROTTING ZONE' JUST ABOVE AND JUST BELOW GROUND LEVEL
- GUARANTEED FOR 25 YEARS
- MADE WITH RECYCLED & SUSTAINABLE MATERIALS
- COMPLETELY UV STABLE


| PRODUCT CODE | PRODUCT DESCRIPTION | ΒΟΧ ΟΤΥ |
|---------------|---------------------|---------|
| PT100PR020BLK | 100MM X 20MTR BLACK | 15 |
| PT150PR020BLK | 150MM X 20MTR BLACK | 10 |
| PT200PRO20BLK | 200MM X 20MTR BLACK | 6 |

This product can be resold by the roll or by strips!









THE WALTHER STRONG DISPENSER was designed specifically for this product so that the builders merchant or installer could strip the tape to any lengths or sizes for bespoke projects or quantities. This means no matter the scale of the project all posts can be protected with minimal waste .









PARTNERED WITH

accoya 🛆

8888

POST TAPE INFOGRAPHICS


Its important to note that every Post needs protecting and as our rolls are designed to cover whole projects its important to have a guideline as to what is achievable with our 20M rolls.

| POST SIZE | OVERLAP ON POSTS | POSTS COVERED PER ROLL |
|------------------------|------------------------------|---------------------------|
| 8X8 INCHES (SQUARE) | A MAXIMUM OF 60MM OVERLAP | 23 POSTS |
| 7X7 INCHES (SQUARE) | A MAXIMUM OF 60MM OVERLAP | 26 POSTS |
| 6X6 INCHES (SQUARE) | A MAXIMUM OF 60MM OVERLAP | 30 POSTS |
| 5X5 INCHES (SQUARE) | A MAXIMUM OF 50MM OVERLAP | 36 POSTS |
| 4X4 INCHES (SQUARE) | A MAXIMUM OF 40MM OVERLAP | 45 POSTS |
| 3X3 INCHES (SQUARE) | A MAXIMUM OF 40MM OVERLAP | 55 POSTS |
| 6 INCHES (ROUND) | A MAXIMUM OF 40MM OVERLAP | 40 POSTS |
| 4 INCHES (ROUND) | A MAXIMUM OF 30MM OVERLAP | 68 POSTS |
| 2 INCHES (ROUND) | A MAXIMUM OF 20MM OVERLAP | 110 POSTS |

All sizes tried and tested to specifications mentioned above

- Does Not Require any Other Tools To Apply
- Non-Butyl
- Completely UV Stable
- Easy-to-tear
- Quick and Easy Installation

We give the option to acquire a dispenser and a measuring board to have for a demo area for the merchant. The demo board can be requested as a correx board or as a tabletop sticker.



Boards or stickers come in one size only (L) 150cm x (W) 50cm

SLEEPER TAPE

FEATURES

- QUICK AND EASY TO APPLY NO HASSLE
- NO APPLICATION TOOLS OR KITS NEEDED
- GUARANTEED FOR 25 YEARS
- MADE WITH RECYCLED & SUSTAINABLE MATERIALS
- COMPLETELY UV STABLE
- 100MM/150MM AND 200MM WIDTHS
- DESIGNED TO PROTECT SOIL CONTACT POINTS AND MOISTURE SETTLING AREAS

| PRODUCT CODE | PRODUCT DESCRIPTION | ΒΟΧ QΤΥ |
|----------------|---------------------|---------|
| SLP200PRO20BLK | 200MM X 20MTR BLACK | 6 |
| SLP250PRO20BLK | 250MM X 20MTR BLACK | 6 |
| SLP300PRO20BLK | 300MM X 20MTR BLACK | 6 |



SLEEPER TAPE is an environmentally friendly, UV stable, non leaching material that will preserve the lifespan of your sleepers when used for vegetable patches, garden beds or support systems. It will act a timber treatment that will dwarf the capabilities of butyl tape and bitumen paint.

In addition to being made out of recycled materials this product has a guarantee of 25 years. Because of this, the environmental impact is minimal.

Our best performing video in 2023 has done over 6.5M views featuring Sleeper Tape!



PARTNERED WITH ACCOYA ② % 长 祭 会

ROOFING



01780 437 222

No Compromise on Quality

In the realm of safeguarding your home, few things are as crucial as ensuring your roof or loft is equipped with top-tier fireproof and watertight products. These elements serve as stalwart defenders against the unpredictable forces of nature and unforeseen accidents, providing an invaluable layer of protection to your property and its inhabitants.

Fireproofing materials act as a formidable barrier against the ravaging spread of flames. In the unfortunate event of a fire outbreak, these materials serve as a crucial deterrent, limiting the blaze's ability to penetrate and engulf your home.

Simultaneously, watertight features fortify your roof against leaks and water ingress. Be it heavy rains, storms, or unexpected plumbing mishaps, these defenses shield your home from moisture damage, mould, and structural deterioration.

The significance of quality fireproof and watertight products in your roof or loft transcends mere functionality; it embodies a proactive approach towards safety and preservation. Investing in these elements isn't just a precaution; it's a commitment to securing your builds.



ALUMINIUM FOIL TAPE

FEATURES

- A "CLASS O" FIRE-RESISTANT & PRESSURE-SENSITIVE ADHESIVE
- QUICK AND EASY TO APPLY WITH 3 SIZES AVAILABLE
- ACTS AS A BARRIER AGAINST MOISTURE, DUST AND MANY CHEMICALS
- STRONG, DURABLE AND LONG LASTING

| PRODUCT CODE | PRODUCT DESCRIPTION | ΒΟΧ QΤΥ |
|-----------------|----------------------|---------|
| ALU-FOIL/50X45 | 50MM X 45MTR SILVER | 24 |
| ALU-FOIL/75X45 | 75MM X 45MTR SILVER | 16 |
| ALU-FOIL/100X45 | 100MM X 45MTR SILVER | 12 |

We use a unique adhesive formulation with this product. Not only is it 'class 0' fire resistant, but when peeling the tape from its backing, anti-tear properties prevent annoying snags when pulling long strips from its lining.

ALTUCO

50MM X 45MTR

WALTHER STRONG & COMPANY LIMITED WWW.waitherstrong.com

ry Duty Aluminium Foil Reflective Insulation Tape



32





DPM BUTYL SEALING & JOINTING TAPE

FEATURES

- COMPATIBLE WITH ALL BRANDS OF DAMP PROOF MEMBRANES
- CODE COMPLIANT
- HIGHLY EFFECTIVE DAMP-PROOF SEAL
- COMPLETELY AIR-TIGHT SEAL
- DOUBLE-SIDED
- EXCELLENT ADHESION

| PRODUCT CODE | PRODUCT DESCRIPTION | ΒΟΧ ΟΤΥ |
|-----------------|----------------------------|---------|
| WS-BT-BLK50X10P | 50MM X 10MTR X 1.5MM BLACK | 12 |

Highly effective at creating a continuous damp-proof/airtight seal between two sheets of plastic membrane. Butyl Tape is used when membrane joints cannot be avoided or around protrusions through the membrane.

- Compatible with all damp-proof membranes
- Completely airtight highly effective damp-proof seal
- Code compliant
- DPM Jointing Tape
- Strong adhesion for overlapping



RILICONE[®] RANGE Our No.1 priority is Reliability!



Rilicone is 'Reliable Silicone' - why is this important??? With a history of having poorly manufactured silicones in varying mixtures and qualities, you never really know what you're going to get!

We have developed a new reliable premium silicone mixture with the following features:

- Food hygiene approved
- The Best Premium Quality Sealant
- Anti-Fungal
- UV & Aging Resistant
- High Adhesion Durable, Soft Elastic Outstanding Resilience
- Low Shrinking During Curing

One reliable silicone for all types of applications including:

PVC, Timber, Aluminium, Exterior, Interior, High End Sanitary Situations, Natural Stone, Direct to Glass & Mirror. Saving you time, hassle AND money.

sales@waltherstrongandco.com

01780 437 222

RILICONE®

FEATURES

- RELIABLE SILICONE YOU CAN DEPEND ON FOR ALL PURPOUSES
- HIGH QUALITY PRODUCT WITH ZERO ACETATE
- A CRUCIAL PART OF THE RILICONE FAMILY
- COMES IN TRANSPARENT, WHITE AND BROWN

| PRODUCT CODE | PRODUCT DESCRIPTION | ΒΟΧ QTY |
|--------------|------------------------|---------|
| RIL-01 | TRANSPARENT 310ML TUBE | 24 |
| RIL-02 | WHITE 310ML TUBE | 24 |
| RIL-03 | BROWN 310ML TUBE | 24 |



Rilicone has been designed for a really premium finish that lasts a lifetime – getting the job done right the first time. Following this system ensures that each product is used at its best potential & and creates a complete germ-free, watertight, professional finish that everyone needs in their builds.

Every silicone that claims to be anti-fungal is immediately contaminated when contact is made by anything unsterile (especially hands!). This is why the the RILICONE product range can ensure that your silicone is completely anti-fungal and won't go rotten just a few months down the line like most silicone jobs tend to do – and let's face it, what is worse that mouldy silicone around your nice sanitary ware?

Whole colour range can be found on P54.

RILICONE SMOOTHING SPRAY

FEATURES

- SOLVENT FREE
- FOR A SMOOTH SURFACE AND CLEAN EDGES
- MAKES A VISUALLY FLAWLESS SEALANT FINISHING BEAD
- PREVENTS MOULD
- SAVES TIME

| PRODUCT CODE | PRODUCT DESCRIPTION | ΒΟΧ QTY |
|--------------|-----------------------------|---------|
| RIL-SMOO | SMOOTHING SPRAY CLEAR 500ML | 6 |



ONE OF OUR BEST SELLERS

RILICONE[®] JOINT SPATULAS

FEATURES

- 4 X JOINT SPATULAS MADE OF A FLEXIBLE PLASTIC
- ASSISTING IN CREATING A WATERTIGHT SEAL
- ENSURES NO GERMS ARE PUT INTO THE SILICONE
- CREATES A CLEAN AND CONSISTENT LOOK
- 16 DIFFERENT BEAD FINISHES

| PRODUCT CODE | PRODUCT DESCRIPTION | ΒΟΧ QTY |
|--------------|----------------------------------|---------|
| RIL-SPAT | 4 PIECE (16 EDGE) JOINT SPATULAS | 10 |

Pack of four joint spatulas made of flexible plastic, which are designed for pressing the fresh sealant to the surface to create a germ-free, water-tight seal and also has a clean and uniformly smooth finish.



COMPLETE THE FAMILY WITH THE FOLLOWING STEPS:

- **STEP 1** APPLY SILICONE IN AN EVEN BEADSPRAY SILICONE BEAD
- **STEP 2** EVENLY WITH SMOOTHING SPRAY
- **STEP 3** CHOOSE YOUR FINISHING BEAD FROM THE 16 DIFFERENT OPTIONS ON YOUR JOINT SPATULA SET
- **STEP 4** RUN JOINT SPATULA DOWN THE SILICONE, PRESSING FIRMLY
- **STEP 5** ALLOW SILICONE TO FULLY CURE (24 HOURS) BEFORE

COMING INTO CONTACT WITH WATER

37

RESILIENT

ROBUST

RELIABLE

ENVELOPE TAPES



Its the finer details that matter

The ENVELOPE taping range are the products that you need to have at your disposal

In the construction industry, "envelope tapes" typically refer to specialised tapes used in building envelope systems. These tapes play a crucial role in creating a weather-resistant barrier, improving energy efficiency, and preventing air and moisture infiltration in buildings.

These tapes are designed to withstand varying weather conditions, UV exposure, and temperature fluctuations, providing long-term durability and maintaining the integrity of the building envelope. They contribute significantly to the overall performance and longevity of structures by protecting them from water damage, air leakage, and energy loss.

Buildings are long-term investments, and the tapes used in their construction need to withstand environmental factors like temperature changes, UV exposure, and weather conditions for many years. High-quality tapes are engineered to maintain their effectiveness over time, ensuring the building's continued protection and performance.

Tapes used in flashing and house wrap applications help prevent water intrusion. If water seeps into the building envelope due to tape failure, it can cause structural damage, mould growth, and deterioration of building materials, leading to costly repairs.

sales@waltherstrongandco.com

01780 437 222

GWEBE FIRE-RATED VEIL

FEATURES

- EXTRA THIN AND EXTREMELY STRONG
- COMPATIBLE WITH ISO 9354:1989 / DIN EN 12127 / DIN EN ISO 13934-1 / ISO 4603 / DIN 61101-1 / DIN ISO 9354
- NON-COMBUSTIBLE AND FIRE-RATED
- ANTI-MOULD PROPERTIES

| PRODUCT CODE | PRODUCT DESCRIPTION | ΒΟΧ ΟΤΥ |
|--------------|-------------------------|---------|
| WS-FR50X50 | 50MM X 50MTR FIRE-RATED | 36 |



CORE BENEFITS OF THE VEIL MESH

- Firewall fibreglass mesh veil for plasterboard joints
- Extremely strong
- DIN. EN12127
- B3/B7 Class
- ISO9354
- Non-Combustible
- Fire-Rated
- 50MMx50M





ISO-ACOUSTIC SOUNDPROOFING TAPE

FEATURES

- STRONG SELF-ADHESIVE FOR EASY & QUICK APPLICATION
- FAST AND EFFECTIVE ACOUSTIC TAPE
- USED ON ALL WALL & FLOOR SYSTEMS
- SUITABLE FOR TIMBER, STUDS & ZINC JOISTS
- REDUCES NOISE & VIBRATIONS
- TRIALLED & LOVED BY HOME BUILDERS AND LOFT CONVERTERS


| PRODUCT CODE | PRODUCT DESCRIPTION | ΒΟΧ ΟΤΥ |
|---------------|--------------------------|---------|
| WS-ACT30X30PR | 30MM X 25MTR X 4MM BLACK | 30 |
| WS-ACT50X30PR | 50MM X 25MTR X 4MM BLACK | 18 |
| WS-ACT70X30PR | 70MM X 25MTR X 4MM BLACK | 12 |
| WS-ACT90X25PR | 90MM X 25MTR X 4MM BLACK | 10 |

TAPE

ΤΔΡΕ

ISO - ACOUSTIC Tape

TAPE



- Easy to apply self-adhesive backing
- Noise reduction acoustic joint tape
- Dramatically reduces noise & vibrations
- Helping you achieve Building Regulations Part E
- Help reduce flanking noise through structures & party walls
- PERFECT FOR STUDIOS AND REMOVING UNWANTED VIBRATIONS

HD SOUNDPROOFING TAPE

- FAST AND EFFECTIVE ACOUSTIC RUBBER CRUMB TAPE
- USED ON ALL WALL & FLOOR SYSTEMS
- SUITABLE FOR MARINAS, TIMBER AND ALUMINIUM FRAMEWORK
- DRAMATICALLY REDUCES NOISE & VIBRATIONS
- USED IN LARGE PROJECTS AND CONSTRUCTION SITES
- SUITABLE FOR INTERNAL AND EXTERNAL APPLICATIONS



| Properties | Information |
|---------------------|----------------------------|
| Colour | Black |
| Surface | Smooth/Granular |
| Tensile Strength | 0.31N/mm2 (EN ISO 1978) |
| Elongation at break | 42% (EN ISO 1978) |
| Thickness | 5mm Nominal |
| Carbon Black | 1333-86-4 |
| Density | 636kg/m3 |
| Service Temp. Range | -30°C to + 82°C |



| PRODUCT CODE | PRODUCT DESCRIPTION | ΒΟΧ QTY |
|----------------|--------------------------|---------|
| WS-ACT-50X10HD | 50MM X 10MTR X 4MM BLACK | 6 |

SELF - EXPANDING FOAM TAPE


- WEATHERPROOF
- PERMANENTLY ELASTIC
- EXCELLENT FOR BOTH SMOOTH & UNEVEN SURFACES
- SELF-ADJUSTS
- SINGLE-SIDED ADHESIVE
- OPEN CELL POLYURETHANE FOAM
- PERFECT FOR COVERING SMALL AIR GAPS FOR WINDOWS AND DOORS

| PRODUCT CODE | PRODUCT DESCRIPTION | ΒΟΧ QTY |
|---------------------------------|--|--|
| WS-SELFEX/33546 | 25MM WIDE X 4.6MTR | 20 |
| WS-SELFEX/33546-10 | 10MM WIDE X 4.6MTR | 48 |
| <complex-block></complex-block> | 10 MM 10 | ROLLS WITH 2 DIFFERENT VIDTHS FOR YOUR DNVENIENCE! 4.6M LONG /E EXPANSIONS N 5mm - 35mm |
| | | |

GALAGO DOUBLE-SIDED TAPE

FEATURES

- THE #1 CHOICE FOR DOUBLE-SIDED TAPE
- LEAVES NO RESIDUE
- DURABLE
- REPOSITIONABLE
- NO SCISSORS REQUIRED TEARS EASILY BY HAND



The unique easy-tear design means you won't need to worry about scissors and it tears straight every time. Perfect for arts and crafts at home or at school, ideal for kids' projects. This double-sided tape can also be repositioned without the sticky residue that is often left by traditional tapes. The durable, waterproof adhesive will be great for making scrapbooks, hanging posters, packaging and a huge number of other uses! Use it to bond wood, plastic, card, metal, glass, leather, china, rubber and carpet.

MATI MOUNT ULTRABOND TAPE

- BONDS GRP
- USED FOR MOTORWAY SIGNAGE
- EXTERIOR AND INTERIOR USE
- DESIGNED FOR SHEET METAL FABRICATIONS
- WORKS WITH PVC AND STAINLESS STEEL
- DOUBLE-SIDED TAPE
- WOVEN AND REINFORCED
- TENSILE STRENGTH IS EQUAL TO 90 NEWTONS/25MM
- EXTREMELY STRONG, AGGRESSIVE PERMANENT ADHESIVE
- WILL REPLACE MECHANICAL FIXINGS: RIVETS, SCREWS, BOLTS

| PRODUCT CODE | PRODUCT DESCRIPTION | BOX QTY |
|--------------------|---------------------------|---------|
| WS-MATIMOUNT/25X25 | 25MM X 25MTR DOUBLE-SIDED | 12 |
















HOUSEWRAP TAPE

FEATURES

- DESIGNED TO CREATE AN AIRTIGHT BARRIER TO STOP UNWANTED AIRFLOW
- SEALS AROUND UNWANTED PENETRATIONS, PIPES, WINDOWS AND MEMBRANE OVERLAPS
- A SINGLE SIDED TAPE COMES IN BLACK OR WHITE
- TEMPERATURE RESISTANCE FROM -40°C to +100°C
- DURABLE BONDS FROM HIGH QUALITY ACRYLIC ADHESIVE
- HELPS TO PREVENT INTERIOR MOULD GROWTH

| PRODUCT CODE | PRODUCT DESCRIPTION | ΒΟΧ QTY |
|--------------|--|-------------------------|
| HW60X25BLK | HOUSEWRAP TAPE - WHITE - 60MM X 25M | 10 |
| HW60X25WHT | HOUSEWRAP TAPE - BLACK - 60MM X 25M | 10 |
| | | |
| | WALTURD | |
| Water Water | STRONG. | e |
| | HOUSEWRAP TAPE | |
| | Temperature Resistant from -40°C to +100°C High resistance to water and moisture Seals around penetrations, pipes, windows, and membrane overlaps Ideal for modular house sealing or repairing breather membrane Durable bonds from high-quality aggressive acrylic adhesive | |
| Withing. | BOOGESSBEZEE | |
| | III III III IIII HW25X60BLK | 0 |
| | | No. of Concession, Name |

DID YOU KNOW...

Housewrap is crucial in creating an air barrier to stop uncontrolled air flow – helping to prevent interior damage, mold growth, and increased heating and cooling costs. Ultimately, house wrap should boost a home's energy-efficiency and create a healthy, comfortable indoor environment.



NON-BUTYL AIRTIGHT FLASHING TAPE

FEATURES

- INSTANT BOND & GUARANTEED TO LAST 25 YEARS
- SEALS DOORS AND WINDOWS FAST & PERMANENT
- FULLY CURES IN 3-12 HOURS
- COMPLETLY UV RESISTANT & STABLE
- 100% AIRTIGHT AND 100% WATERTIGHT



A REVIEW OF HOUSEWRAP PERFORMANCE AND ITS IMPLIATIONS ON ENERGY SAVINGS

| PRODUCT CODE | PRODUCT DESCRIPTION | ΒΟΧ QTY |
|--------------|---------------------|---------|
| ES-100X20P | 100MM X 20MTR BLACK | 12 |
| ES-150X20P | 150MM X 20MTR BLACK | 12 |
| ES-200X20P | 200MM X 20MTR BLACK | 6 |
| ES-250X20P | 250MM X 20MTR BLACK | 6 |
| ES-300X20P | 300MM X 20MTR BLACK | 6 |





Flashing tape is often referred to as lead flashing tape but is mainly constructed of aluminium foil and bitumen rubber adhesive.

Ours is not... Its a heat-resistant especially designed tape that is non butyl and easy to install!

It is used to provide an immediate watertight seal on a huge range of surfaces making it an essential part of any roofing project. Available in a selection of sizes.

NALTHER Strong

PROVIDING SOLUTIONS TO COMMON CONSTRUCTION PROBLEMS

Also the UK wholesaler of the Beko brand

9

www.waltherstrong.com

01780 437 222



Roof installation Insulation Installing Doors/Windows Renovating Doors/Windows Decking Installation Saftey

www.waltherstrong.com

Electrical Plastering Loft Conversions Bathroom/ Wetroom installation Tiling

01780 437 222



As of November 2020 - Walther Strong has been appointed the exclusive UK wholesaler of all Beko Products to the UK merchant / distributors.

The Beko Group GmbH provides innovative quality products, which have been continuously improved and further developed. Their product line includes sealing compounds, adhesives, aerosols, and application specific accessories.



ALLCON 10 PAGE : 50






MS FLEX SEALANT PAGE : 51



B10 UNIVERSAL OIL PAGE : 52



PRO 4 SILICONE PAGE : 53



PRO 4 COLOUR SCHEME PAGE : 54



SPEEDEX PAGE : 58



POS MATERIAL PAGE : 55



MEDICAL PLASTERS PAGE : 59



ALL CLEAN PAGE : 56



LEAK DETECTION SPRAY PAGE : 60



HYDROSTOP PAGE : 57



WALTHER STRONG S



FEATURES

- FROST-PROOF
- LOW ODOUR
- SHORT TERM RESISTANCE TO TEMPERATURES UP TO +120 C
- SINGLE-COMPONENT
- NO PRIMER NEEDED
- TEST REPORT IN ACCORDANCE WITH DIN EN 204 D4
- HOLDS 130KGS PER SQUARE CENTIMETRE
- SUITABLE FOR INDOOR AND OUTDOOR
 USE
- FULLY CURES IN JUST 7 TO 10 MINUTES

| N COLUMN | ALLCON 1 | | 4 |
|-----------------------|--|---------|----|
| and the second second | ONSTRUCTION | | 20 |
| | ADHESIVE | | |
| 「「「「「「「」」」」」 | The original for Professionals Very high adhesive strength Bonds almost any materials | 大学を行うない | |
| | Solvent free Extremely fast curing | 語をわけ | |
| | Absorbs sound and dampens vibrations Suitable for sanding and stands (solvers to solvers) | | |
| | Bridges gaps Levels out unevenness Bonds to multiple outfaces | いと見たい | |
| | Usable with natural stone Heat resistance according to | あると | |
| | Weather resistance in accordance with DIN EN 204 D4 (waterproo | 5. A. | |

50

Solvent free Extremely fast curing

- Absorbs sound and damper Vibrations
- (solvent-based stains) Can be painted and varnish
- Levels out unevenness
- Bonds to multiple surf
- Usable with natural stone
- WATT 91 (+80° C, +176° F)
- Weather resistance in account with DIN EN 204 D4 (waterphil gluing, test report available)

w.beko-group.com

| PRODUCT CODE | PRODUCT DESCRIPTION | ΒΟΧ QTY |
|---------------------|---------------------|---------|
| BEKO 260 100 310 EN | 310ML | 12 |
| BEKO 260 100 150 EN | 150ML | 20 |



WALTHER STRONG. × beko®

MS-FLEX SEALANT & ADHESIVE



FEATURES

- WEATHER RESISTANT
- EXCELLENT CHEMICAL RESISTANT
- 80% INSTANT GRAB STRENGTH
- NO SOLVENTS OR ISCOCYNATES
- PAINTABLE
- DOES NOT SHRINK
- ENVIRONMENTALLY COMPLIANT
- COMPLETELY WATER RESISTANT
- 80% GRAB STRENGTH
- INDOOR & OUTDOOR USE



PRODUCT CODE PRODUCT DESCRIPTION BOX OTY BEKO 246 2900 EN **TRANSPARENT 300ML** 12 BEKO 246 290 EN WHITE 300ML 12 BEKO 246 290 2 EN **BLACK 300ML** 12 BEKO 246 290 3E N GREY 300ML 12 BEKO 246 290 4EN **BEIGE 300ML** 12











WALTHER STRONG beko[®] B10 UNIVERSAL OIL



FEATURES

- REMOVES SQUEAKS AND RATTLES
- SUITABLE FOR INDOOR AND
 OUTDOOR USE
- DOES NOT DRIP OR RUN OFF SURFACE LASTING IN A LONG-TERM FIX
- DISPLACES WATER
- EASY-TO-AIM APPLICATION -ALSO WORKS WHEN THE CAN IS UPSIDE DOWN!



beko

Universal Oil

52

| PRODUCT CODE | PRODUCT DESCRIPTION | ΒΟΧ QTY |
|---------------------|---------------------|---------|
| BEKO 260 100 310 EN | 310ML | 12 |
| BEKO 260 100 150 EN | 150ML | 20 |











WALTHER STRONG. × beko[®] PRO 4 PREMIUM SILICONE



FEATURES

- ANTI-FUNGAL FORMULATION
- AVAILABLE IN 36 COLOUR VARIATIONS
- FOOD HYGIENE APPROVED
- ADHERES WITHOUT A PRIMER
- UV & AGEING RESISTANT
- THE BEST CHOICE TO STAND THE TEST OF TIME (IF YOU DON'T WANT TO BE REDOING SILICONE EVERY 2-3 YEARS)



beko Silicon^e pro4

Premium silicone Neutrally curing

> 4wood 4plumbing 4construction 4natural stone

UV, aging-resistant and colourfast No fringe discolouration Broad adhesion spectrum According to DIN 18545 Antifungal (with improved active ingredient) Optimally smoothed Very easy to shape Plasticizer-free No waste

ww.beko-group.c

Silicone pro4

beko

Premium silicone Neutrally curing

> 4wood 4plumbing 4construction 4natural stone

UV, aging-resistant and colourfast No fringe discolouration Broad adhesion spectrum According to DIN 18545 Antifungal (with improved active ingredient) Optimally smoothed Very easy to shape Plasticizer-free No waste

ww.beko-group.c

| PRODUCT CODE | PRODUCT DESCRIPTION | ΒΟΧ QTY |
|--------------|---------------------|---------|
| (PTO) | (PTO) | 20 |



| COLOUR | PRODUCT CODE | PRODUCT | BOX QTY |
|--------|----------------------|---|---------|
| | BEKO 224 O3EN | SILICONE PRO4 PREMIUM 310ML LIGHT GREY | 20 |
| | BEKO 224 O4EN | SILICONE PRO4 PREMIUM 310ML MANHATTAN | 20 |
| | BEKO 224 O5EN | SILICONE PRO4 PREMIUM 310ML CONCRETE GREY | 20 |
| | BEKO 224 OGEN | SILICONE PRO4 PREMIUM 310ML JASMINE MAPLE | 20 |
| | BEKO 224 07EN | SILICONE PRO4 PREMIUM 310ML BAHAMA BEIGE / LIGHT OAK | 20 |
| | BEKO 224 O8EN | SILICONE PRO4 PREMIUM 310ML TAN/LIGHT BEECH | 20 |
| | BEKO 224 O9EN | SILICONE PRO4 PREMIUM 310ML DARK BROWN MAHOGANY TEAK | 20 |
| | BEKO 224 10EN | SILICONE PRO4 PREMIUM 310ML BLACK | 20 |
| | BEKO 224 11EN | SILICONE PRO4 PREMIUM 310ML MEDIUM BROWN/BEECH/DARK OAK | 20 |
| | BEKO 224 12EN | SILICONE PRO4 PREMIUM 310ML CARAMEL/ SPRUCE/ LARCH | 20 |
| | BEKO 224 13EN | SILICONE PRO4 PREMIUM 310ML SILVER GREY | 20 |
| | BEKO 224 14EN | SILICONE PRO4 PREMIUM 310ML ANTHRACITE | 20 |
| | BEKO 224 15EN | SILICONE PRO4 PREMIUM 310ML ALUMINIUM SILVER | 20 |
| | BEKO 224 16EN | SILICONE PRO4 PREMIUM 310ML TERRACOTTA | 20 |
| | BEKO 224 17EN | SILICONE PRO4 PREMIUM 310ML TRANSPARENT GREY | 20 |
| | BEKO 224 18EN | SILICONE PRO4 PREMIUM 310ML OLD LACE | 20 |
| | BEKO 224 19EN | SILICONE PRO4 PREMIUM 310ML PERGAMON | 20 |
| | BEKO 224 20EN | SILICONE PRO4 PREMIUM 310ML CEMENT GREY | 20 |
| | BEKO 224 21EN | SILICONE PRO4 PREMIUM 310ML BASALT | 20 |
| | BEKO 224 22EN | SILICONE PRO4 PREMIUM 310ML OAK | 20 |
| | BEKO 224 23EN | SILICONE PRO4 PREMIUM 310ML CHESTNUT | 20 |
| | BEKO 224 24EN | SILICONE PRO4 PREMIUM 310ML WALNUT | 20 |
| | BEKO 224 25EN | SILICONE PRO4 PREMIUM 310ML BRONZE | 20 |
| | BEKO 224 26EN | SILICONE PRO4 PREMIUM 310ML DARK GREY | 20 |
| | BEKO 224 27EN | SILICONE PRO4 PREMIUM 310ML SANITARY GREY | 20 |
| | BEKO 224 28EN | SILICONE PRO4 PREMIUM 310ML GREY WHITE | 20 |
| | BEKO 224 29EN | SILICONE PRO4 PREMIUM 310ML BEIGE/ALDER | 20 |
| | BEKO 224 34EN | SILICONE PRO4 PREMIUM 310ML PALE BROWN/TEAK | 20 |

Colours are just a guide - for the exact colour match, please request a PRO4 colour range sample chart



POS MATERIALS



PRODUCT CODE : POS/VARIOSHELF self-standing large display unit



PRODUCT CODE : POS/96WIRECDU DISPLAY UNIT - SELF DISPENSING (HOLDS 96 310ML TUBES)



PRODUCT CODE : POS/PRO4CHART colour range board for silicone pro4



PRODUCT CODE : POS/ALLCONINFLATE Large inflatable allcon 10 Pos



PRODUCT CODE : POS/55TRAY TRAY HOLDER FOR 55 310ML CARTIDGES POS




PRODUCT CODE : POS-BKOPNCL CARPENTERS LARGE PENCILS FOR GIVEAWAY



PRODUCT CODE : POS/MSFLEXCDU Demo counter display for MS-Flex





PRODUCT CODE : POS/HYDROSPONGE DEMO SPONGE FOR HYDROSTOP



PRODUCT CODE : POS/32TRAY TRAY FOR 32 AEROSOL 400ML/500ML/750ML



PRODUCT CODE : LFLTHLDR CLIP ON A5 LEAFLET HOLDERS

PRODUCT CODE : SHLFTLKR Shelf talkers

01780 437 222

www.waltherstrong.com



ALLCLEAN



FFATURES

- DISSOLVES GREASE EASILY
- REMOVES TAR, OIL, PUTTY, GREASE, SILICONE, ADHESIVE, CORROSION **PROTECTION AGENTS**
- SUITABLE FOR USE ON PLASTIC, METAL, GLASS, **PAINTED SURFACES &** ACRYLIC AMONG MANY OTHERS]
- **OUICK AND SAFE**
- TIME SAVING



- Dissolves grease quickly
- Safe cleaning
- Evaporates very quickly
- Leaves behind no oily film
- Powerful solvent effect
- Does not attack materials
- Applicable to plastic, acrylic, metal, glass, paint, etc.
- Final cleaning

www.beko-group.com

| PRODUCT CODE | PRODUCT DESCRIPTION | ΒΟΧ ΟΤΥ |
|------------------------|---------------------|-----------------------|
| BEKO 266 120 0500EN | 500ML TIN | 12 |
| LEADER NORTH MARKED IN | | and the second second |











WALTHER STRONG STRONG Strong WATERPROOFING

beko 🔶 Hydro-Stop 57



- SIMPLE & EFFECTIVE WATER-PROOFING IN BATHROOMS, WET ROOMS
- HIGHLY-FLEXIBLE SO WONT CRACK IN FUTURE [ESPECIALLY WITH THE REGULAR FLUCTUATIONS IN TEMPERATURE AND HUMIDITY IN THESE ENVIRONMENTS]
- UV, WEATHER AND RESISTANT TO AGEING
- CAN BE USED ON DAMP MINERAL SURFACES
- COMPLIANT TO DIN 18195
- ALSO SUITABLE FOR USE OUTSIDE ON ROOFS AND TO PREVENT LEAKS

| PRODUCT CODE | PRODUCT DESCRIPTION | ΒΟΧ QΤΥ |
|------------------|---------------------|---------|
| BEKO 237 2 001EN | 1KG RESEALABLE TIN | 6 |
| BEKO 237 2 007EN | 7KG RESEALABLE TUB | 2 |



WALTHER STRONG beko CONSTRUCTON MEDICAL PLASTERS

beko

und-Schnellverband

beko

58



- PERMANENTLY ELASTIC
- BREATHABLE MATERIAL
- OIL AND WATER RESISTANT
- LATEX-FREE, THEREFORE ANTI-ALLERGIC
- DOES NOT STICK TO THE WOUND, SO NOT PAINFUL TO REMOVE

| PRODUCT CODE | PRODUCT DESCRIPTION | ΒΟΧ QTY |
|-------------------|--------------------------|---------|
| BEKO 291 8 002 EN | 1 KIT - CONTAINS 2 ROLLS | 20 |





- COMPLETELY HARMLESS TO SKIN
- EASY APPLICATION
- DOES NOT DRIP OR RUN OFF SURFACE DISPLACES WATER

| PRODUCT CODE | PRODUCT DESCRIPTION | ΒΟΧ QTY |
|------------------|-------------------------------|---------|
| BEKO 299 60 0750 | SPEED-EX PAINT STRIPPER 750ML | 6 |
| BEKO 299 60 2500 | SPEED-EX PAINT STRIPPER 2.5L | 2 |
| BEKO 299 60 5000 | SPEED-EX PAINT STRIPPER 5L | 2 |








beko beko beko TECLINE TECLINE TECLINE Leak Leak detectio Leak etectio letection Spray Spray Spray or control and For control and ak detection ak detection or control and Many application Many applications ak detection Non-toxic Non-toxic Many applications Eco-friendly co-friendly Non-toxic combustible ombustible Eco-friendly orrosive Anti-corrosive Incombustible 360° valve tech valve tec Anti-corrosive ating rang 60° valve tec ating range f

- FOR REGULAR MAINTENANCE INSPECTION LEAK DETECTION
- HARMLESS TO SKIN
- ENVIRONMENTALLY FRIENDLY
- USABLE FROM +5 °C TO +40 °C
- HAS A 360° VALVE

| PRODUCT CODE | PRODUCT DESCRIPTION | ΒΟΧ QTY |
|--------------------------|--------------------------------|---------|
| BEKO 296 1 400 EN | BEKO LEAK DETECTOR SPRAY 400ML | 12 |
| The second second second | | |





WALTHER STRONG®





















11111.54.5





waltherstrong.com



01780 437 222