

# WALTHER STRONG®

# 2026 CATALOGUE





# OUR MISSION

To provide premium tapes and adhesives that solve common construction problems, with commitment to quality and innovation at our core.

# OUR VALUES

## RELIABLE

Provide a premium range of specialist products, that dependably exceed market standards.

## INNOVATIVE

Continuously develop forward thinking solutions driven by industry insights and user feedback to solve real construction challenges.

## SUPPORTIVE

Contribute to the construction industry via knowledge, high quality products and a commitment to identifying the best solution.





# TABLE OF CONTENTS

## PAINTING AND DECORATING

H2O LIQUID MASK .....	6
INTERIOR LIQUID TAPE .....	7
PREMIUM MASKING TAPE .....	8

## REINFORCEMENT RANGE

HD ORANGE SCRIM .....	9
WHITE SCRIM .....	10
DRYLINING HD SCRIM .....	11
HD BLUE SCRIM .....	12
BLUELINE SCRIM .....	13
HD RENDER MESH .....	14-15
ULTRA-FINE VENETIAN MESH .....	16
HD REBARFLEX .....	17

## PROTECTION TAPES

ROUGH SURFACE TAPE .....	18
NO-RES .....	19

## BUILDING AND CONSTRUCTION

ULTIMATE DUCT TAPE .....	20-21
ISO-ACOUSTIC TAPE .....	22
HD ISO-ACOUSTIC TAPE .....	23
DOUBLE-SIDED TAPE .....	24
MATI MOUNT TAPE .....	25
HD ALUMINIUM FOIL TAPE .....	26
DPM BUTYL TAPE .....	27
SELF-EXPANDING FOAM TAPE .....	28
AIRTIGHT TAPE .....	29
TRIM TAPE .....	30
GALAGO .....	31

# LANDSCAPING

DECK TAPE .....	32-33
DECK TAPE PRO .....	34
HD TIMBER COATING .....	35
CLADTAPE .....	37
POST TAPE .....	38-39
HD POST TAPE .....	40
SLEEPER TAPE .....	41
HD SLEEPER TAPE .....	42

# PLUMBING

RILICONE .....	43
SMOOTHING SPRAY .....	44
JOINT SPATULAS .....	45

# FIRE RATED

CLEANROOM TAPE .....	46
FLAME FIGHTER TAPE .....	47

# BEKO RANGE

ALLCON 10 .....	48
MS-FLEX .....	49
TECLINE B10 UNIVERSAL OIL .....	50
SILICONE PRO4 .....	51-52
ALLCLEAN SURFACE CLEANER .....	53
SPEED-EX PAINT STRIPPER .....	54
TECLINE LEAK DETECTOR SPRAY .....	55
HYDRO-STOP .....	56



# H2O LIQUID MASK

## KEY FEATURES:

- 2 in 1 primer and peelable mask
- Can be applied with a sprayer, roller, or brush
- Proven by contractors to be more cost effective than traditional masking up
- Achieve perfect paint separation and clean edges with minimal effort
- Simple 4 step process



Technical datasheets and product specifications available on request.

PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
H2O-PRIME-1LTR	1L TIN	6
H2O-PRIME-5LTR	5L BUCKET	1

# INTERIOR LIQUID TAPE

## KEY FEATURES:

- Perfect for difficult shapes and/or rough surfaces
- Protective and durable yet flexible membrane
- Simply paint on, dry and peel off once the job is done
- Easy masking of difficult shapes and uneven edges
- Clean removal with no damage to the surface
- Regularly used as a protection to the surrounding area when sandblasting beams



Technical datasheets and product specifications available on request.

PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
WSLT-PRO250	250ML TIN	12
WSLT-PRO1	1L TIN	6
WSLT-PRO2.5	2.5L TIN	1



# PREMIUM MASKING TAPE

## KEY FEATURES:

- High quality colour separators
- 14 day residue free and UV resistant
- High tensile strength to prevent unnecessary tearing
- Available in 3 popular widths: 25mm [1"] / 38mm [1.5"] / 50mm [2"]



This premium masking tape features a UV-resistant, high-tack hybrid adhesive, offering excellent tensile strength for tasks like masking, bundling, holding, and packing. It removes cleanly from a wide range of surfaces for up to 14 days without leaving any residue. Delivers strong adhesion on wood, glass, plastic, metal, and more.



Technical datasheets and product specifications available on request.

PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
GP-14PRO25X50/1	25MM X 50M	36
GP-14PRO38X50/1	38MM X 50M	24
GP-14PRO50X50/1	50MM X 50M	24

# HD ORANGE SCRIM

## KEY FEATURES:

- Tested in both hot and cold environments
- Double strength adhesive
- Heavy duty scrim for the best anti-crack finish
- Alkali resistant
- Orange for a reason - easy to see when floating off

✓ RELIABLE  
✓ FINER  
✓ STICKIER



Technical datasheets and product specifications available on request.

PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
TP-ORNSCRIM50X90PR	50MM X 90M	36
TP-ORNSCRIM75X90PR	75MM X 90M	24
TP-ORNSCRIM100X90PR	100MM X 90M	18
TW-TP-SCRIMORN50X90PR	TWIN PACK 50MM X 90M	18

# WHITE SCRIM

## KEY FEATURES:

- Eliminates the need for pre-plastering
- Tested in both hot and cold environments
- Prevents cracking in plaster
- Alkali resistant
- Available in 3 sizes 50mm [2"] / 75mm [3"] / 100mm [4"]



Technical datasheets and product specifications available on request.

PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
TP-SCRIM50X90PR	50MM X 90M	36
TP-SCRIM75X90PR	75MM X 90M	24
TP-SCRIM100X90PR	100MM X 90M	18

# DRYLINING HD SCRIM

## KEY FEATURES:

- Extra long 180m roll, ideal for large scale drylining projects
- Compatible with scrim tape guns such as the **Marshalltown MT72**
- High strength adhesive
- Heavy Duty
- Tested in both hot & cold environments
- Alkali resistant
- Prevents cracking in plaster



Technical datasheets and product specifications available on request.

PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
TP-XLSCRIM50X180	50MM X 180M	12

# HD BLUE SCRIM

## KEY FEATURES:

- High tensile strength of 129N/50mm
- Alkaline resistant coating
- Completely waterproof
- Suitable for cement, self levelling compound, plaster & lime mortars
- For plasterboard, wetroom floors, walls, ceilings & joints
- Interior and exterior applications



Technical datasheets and product specifications available on request.


PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
BLU-HDSCRIM50X90	50MM X 90M	36



# BLUELINE SCRIM

KEY FEATURES:

- High strength, double adhesive scrim
- Moisture resistant coating
- Self adhesive
- Tensile Strength of 56N/50mm
- Suitable for both tapered and square edged boards
- For drywall, plasterboards, walls & ceilings



Technical datasheets and product specifications available on request.

PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
BLU-LINESCRIM50X90	50MM X 90M	36

# HD RENDER MESH

KEY FEATURES:

- Heavy duty, super strong & flexible
- Approved for use with all major plasters and renders
- Durable - exceeds DIN 53857
- Easy to use - cut to size with knife or scissors
- Maintenance free - tear and water resistant
- The number 1 alkaline resistant coating in Europe

Technical datasheets and product specifications available on request.

PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
1M RANGE		
HD-RFMESH/1000-4X4	WHITE 1M X 50M	3
HD-RFMESHORN/1000-4X4	ORANGE 1M X 50M	3
HD-RFMESH/1000-4X4	WHITE 1M X 50M	40
HD-RFMESHORN/1000-4X4	ORANGE 1M X 50M	40
CUT TO SIZE		
HD-REPMESH/200-4X4	WHITE 200MM X 50M	20
HD-REPMESHORN/200-4X4	ORANGE 200MM X 50M	20
HD-REPMESH/330-4X4	WHITE 330MM X 50M	12
HD-REPMESHORN/330-4X4	ORANGE 330MM X 50M	12
HD-REPMESH/500-4X4	WHITE 500MM X 50M	6
HD-REPMESHORN/500-4X4	ORANGE 500MM X 50M	6



Introducing our latest innovation in render mesh technology, engineered to redefine **durability** in the market. Our new render mesh range, boasts an unparalleled **alkali-resistant** coating, setting a new standard for longevity and performance in construction materials - IT'S ALKAMAXX.

Specially crafted to withstand the harshest alkaline environments, this advanced coating ensures exceptional **resilience** against deterioration, guaranteeing an extended lifespan for your renders.

Our render mesh range offers unparalleled protection, providing peace of mind for builders, architects, and homeowners alike.


**ALKAMAXX MESH WORKS WITH ALL ETICS SYSTEMS**



# ULTRA-FINE VENETIAN MESH

## KEY FEATURES:


- Tested and approved for use with all major plasters and renders
- Perfect for internal use where a premium finish is required
- Ultra thin mesh complementing venetian plastering
- Thin, durable and great to use with microcement
- Easy to cut and modify for bespoke jobs
- Great for covering internal cracks and creases



External Wall

Insulation

Internal Wall



Render/  
Plaster

**ULTRA-FINE  
MATI MESH**  
Great to use with  
microcement



*Technical datasheets and product specifications available on request.*

PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
UFMESH50X1WHT	1M X 50M	6

# HD REBARFLEX

## KEY FEATURES:


- Eliminates heavy lifting and specialist tools, reducing labour time by up to 85%
- 2750N/50mm tensile strength which outperforms steel mesh in load-bearing tests
- Independently tested for superior crack resistance and long-term integrity - reducing screed cracks by 32%
- No sharp edges
- No risk of rust
- Alkali resistant with the specialist ALKAMAXX coating



### SCAN FOR APPLICATION INSTRUCTIONS

- ✓ Screed & concrete
- ✓ Resin driveways
- ✓ Imprinted concrete
- ✓ Pathways

[Maximum concrete thickness: 100mm]



- ✓ **50 M<sup>2</sup> PER ROLL**
- ✓ **IDEAL FOR LOW/MEDIUM THICKNESS SCREEDS (LIMITED TO 100MM)**
- ✓ **MUCH SAFER TO USE THAN STANDARD STEEL MESH**
- ✓ **REPLACEMENT FOR THE A142**

*Technical datasheets and product specifications available on request.*

PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
WS-REBARFLEX500G	1M X 50M	3



# ROUGH SURFACE TAPE

KEY FEATURES:

- Engineered for both rough and smooth surfaces
- Suitable for internal and external applications
- Ideal for demanding applications
- Securely holds plastic sheets in place during rendering
- Ideal for masking on Bricks, PVC, & Gutters
- Weather resistant
- Residue free for 30 days



Rough Surface Tape has 70% more adhesive surface contact compared to standard duct tape



Technical datasheets and product specifications available on request.


PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
WS-ORNRP50X50P	50MM X 50M	24

# NO-RES

## KEY FEATURES:

- A great alternative to duct tape with no residue
- Unique easy-tear technology for fast & clean application
- High adhesion and cohesion for secure, reliable hold
- Leaves no marks or residue on interior applications
- Designed to be reusable

✓ **WINDOW PROTECTION**  
✓ **TEMPORARY PROTECTION**  
✓ **CORREX SHEETING**



Technical datasheets and product specifications available on request.

PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
NR-ORN50X33P	ORANGE 50MM X 33M	24
NR-BLK50X33P	BLACK 50MM X 33M	24
NR-SIL50X33P	SILVER 50MM X 33M	24
NR-WHT50X33P	WHITE 50MM X 33M	24

# ULTIMATE DUCT TAPE

## KEY FEATURES:

- Quadruple layer reinforcement for heavy duty applications
- Weather-proof compatibility for all repairs
- Easy-cut with scissors or a knife
- Available in 3 colour variations: White, Black, & Silver
- Two different widths - 50mm [2"] and 75mm [3"]
- Available in Twin Packs



Technical datasheets and product specifications available on request.

PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
TP-WHT50X50/1	WHITE 50MM X 50M	24
TP-BLK50X50/1	BLACK 50MM X 50M	24
TP-SIL50X50/1	SILVER 50MM X 50M	24
TP-WHT75X50/1	WHITE 75MM X 50M	16
TP-BLK75X50/1	BLACK 75MM X 50M	16
TP-SIL75X50/1	SILVER 75MM X 50M	16
TWIN PACKS		
TTP-WHT50X50/2	WHITE 50MM X 50M	12
TTP-BLK50X50/2	BLACK 50MM X 50M	12
TTP-SIL50X50/2	SILVER 50MM X 50M	12



## AVAILABLE IN: Black, White & Silver



50MM X 50M - TP-BLK50X50/1  
75MM X 50M - TP-BLK75x50/1




50MM X 50M - TP-WHT50X50/1  
75MM X 50M - TP-WHT75x50/1



50MM X 50M - TP-SIL50X50/1  
75MM X 50M - TP-SIL75x50/1

## ALSO AVAILABLE IN TWIN PACKS



**BLACK**  
TTP-BLK50X50/2



**WHITE**  
TTP-WHT50X50/2



**SILVER**  
TTP-SIL50X50/2

# ISO-ACOUSTIC TAPE

## KEY FEATURES:

- Strong self-adhesive for easy & quick application
- Fast and effective acoustic tape
- Used on all wall & floor systems
- Suitable for Timber, Studs, & Zinc Joists
- Reduces noise and vibrations
- Trialled & loved by home builders and loft converters




Technical datasheets and product specifications available on request.

PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
WS-ACT30X25PR	30MM X 25M X 4MM	30
WS-ACT50X25PR	50MM X 25M X 4MM	18
WS-ACT70X25PR	70MM X 25M X 4MM	12
WS-ACT90X25PR	90MM X 25M X 4MM	10

# HD ISO-ACOUSTIC TAPE

## KEY FEATURES:

- Fast and effective acoustic rubber crumb tape
- Used on all wall & floor systems
- Suitable for Marinas, Timber, Aluminium Frameworks and Concrete Walls
- Dramatically reduces noise & vibrations
- Used in large projects and construction sites
- Suitable for internal and external applications



Technical datasheets and product specifications available on request.

PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
WS-ACT-50X10HD	50MM X 10M X 4MM	6



# DOUBLE-SIDED TAPE

## KEY FEATURES:

- Multi-surface tape for fast & strong fixings
- Strong adhesive
- Powerful instant grip
- Can be used on smooth and uneven surfaces
- Suitable for all surfaces - Timber, Mirror, Carpet, Vinyl, Foam Board, Metal



- ✓ COUNTLESS APPLICATIONS - PERMANENT & TEMPORARY
- ✓ CAN BE USED FOR MOUNTING WITH STRONG HOLDING POWER
- ✓ IDEAL FOR TEMPORARY TILING

Technical datasheets and product specifications available on request.

PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
TP-MPDS25X5PR	25MM X 5M	10
TP-MPDS50X5PR	50MM X 5M	10

# MATI MOUNT TAPE

## KEY FEATURES:

- Bonds GRP
- Used for motorway signage
- Designed for sheet metal fabrications
- Works with PVC and Stainless Steel
- Double-sided tape
- Woven and reinforced
- Tensile strength is equal to 90N/25mm
- Extremely strong, aggressive permanent adhesive
- Will replace mechanical fixings: Rivets, Screws, Bolts



Technical datasheets and product specifications available on request.

PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
WS-MATIMOUNT/25X25	25MM X 25M	12

# HD ALUMINIUM FOIL TAPE

## KEY FEATURES:

- A “Class 0” fire-resistant & pressure-sensitive adhesive
- Engineered **rolled edges** improve durability, functionality, and overall finish
- Quick and easy to apply with 3 sizes available
- Acts as a barrier against moisture, dust and many chemicals
- Strong, durable and long lasting

## APPLICATIONS

- ✓ Loft conversions
- ✓ HVAC systems
- ✓ Cold bridging with PIR boards
- ✓ Vapour seal



Technical datasheets and product specifications available on request.

PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
ALU-FOIL/50X45	50MM X 45M	24
ALU-FOIL/75X45	75MM X 45M	16
ALU-FOIL/100X45	100MM X 45M	12

# DPM BUTYL TAPE

## KEY FEATURES:

- Now certified for BOTH Standard & Radon DPM - **2 products in 1**
- Compatible with all brands of damp-proof membranes
- Code compliant
- Highly effective damp-proof seal
- Completely air-tight seal
- Double-sided
- Excellent adhesion

DPM Butyl Tape is a high performance jointing tape that creates a continuous damp-proof and airtight seal between plastic membranes. Made from premium butyl rubber, it provides excellent adhesion, long lasting moisture protection, and easy application around joints, penetrations, and irregular surfaces.




Technical datasheets and product specifications available on request.

PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
WS-BT-BLK50X10P	50MM X 10M X 1.5MM	12

# SELF-EXPANDING FOAM TAPE

## KEY FEATURES:

- Weatherproof
- Permanently elastic
- Excellent for both smooth & uneven surfaces
- Self-adjusts
- Single-sided adhesive
- Open cell polyurethane foam
- Perfect for covering small air gaps for windows and doors





Technical datasheets and product specifications available on request.

PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
WS-SELFEX/33546	25MM X 4.3M	12
WS-SELFEX/33546-10	10MM X 4.3M	24

# AIRTIGHT TAPE

## KEY FEATURES:

- Creates a completely airtight seal on all construction materials
- Temperature resistant from -40°C to +80°C (Single-Sided) & -20°C to +80°C (Double-Sided)
- High adhesive strength of 30N/25mm
- Specialist PVA scrim reinforcement NOT a cloth reinforcement
- Suitable for interior and exterior applications



**Single-Sided Airtight Tape** – Designed for sealing overlaps, joints, and penetrations in membranes and boards. It ensures reliable, long-lasting airtightness in loft conversions, extensions, and garden rooms.

**Double-Sided Airtight Tape** – Perfect for bonding and securing vapour control layers or membranes to structural elements where a clean, invisible seal is required.

*Technical datasheets and product specifications available on request.*

PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
WS-AIR60X25BLK	<b>SINGLE-SIDED</b> 60MM X 25M	10
WS-DS-AIR60X25BLK	<b>DOUBLE-SIDED</b> 60MM X 25M	10



# TRIM TAPE

## KEY FEATURES:

- Quick and permanent solution for exterior UPVC trim installation
- Double-sided for secure bonding
- Heavy-duty strength for lasting performance
- UV-resistant, designed for outdoor conditions
- Made from exterior-grade polyethylene foam
- Hybrid adhesive for reliable adhesion



Technical datasheets and product specifications available on request.

PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
WS-TRIMTAPE20X10P	20MM X 10M	12

# GALAGO

## KEY FEATURES:

- Double sided tape
- Leaves no residue
- Durable
- Repositionable
- No scissors required - easy to tear



Technical datasheets and product specifications available on request.

PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
GALT-25X10/1	25MM X 10M	72

# DECK TAPE

## KEY FEATURES:

- UV stable for long lasting outdoor performance
- Completely self-seals around fixings
- Available in 8 widths
- 25-year bond guarantee
- Made with recycled & sustainable materials
- Adhesive cures into timber over 7 days for the optimum bond - PTO for infographic




Technical datasheets and product specifications available on request.

PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
WS50PRO20BLK	50MM X 20M	30
WS65PRO20BLK	65MM X 20M	24
WS82PRO20BLK	82MM X 20M	18
WS100PRO20BLK	100MM X 20M	15
WS150PRO20BLK	150MM X 20M	10
WS200PRO20BLK	200MM X 20M	6
WS250PRO20BLK	250MM X 20M	6
WS300PRO20BLK	300MM X 20M	5

# CURING PROCESS

33




Deck Tape becomes gradually stronger over 24-72 hours as the adhesive soaks into the timber and fully cures.

# SELF SEALING

With Deck Tape


Without Deck Tape



# DECK TAPE PRO

## KEY FEATURES:

- 2.5× larger and 2.5× faster than our traditional Deck Tape
- Made with recycled materials
- No backing liner for quicker, hassle-free application
- UV stable for long lasting outdoor durability
- Professional grade protective tape for landscapers
- Completely self-seals around fasteners for a watertight finish
- 25-year bond guarantee for ultimate reliability



Deck Tape PRO revolutionises timber framework protection by offering unmatched speed, eco-friendliness, and cost-effectiveness compared to any other like-for-like product. The innovative design enables rapid application due to having no liner on the tape, ensuring swift and efficient coverage of timber frameworks.


Technical datasheets and product specifications available on request.

PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
DTPRO50X50BLK	50MM X 50M	24

# HD TIMBER COATING

## KEY FEATURES:

- Rubberised waterproof liquid
- Quick and easy to apply
- Protects 150M of timber per 4KG
- Brush or roller application
- Single coat protection
- Low-VOC formulation, safe and reliable
- To use alongside Walther Strong Deck Tape




End grains, tops of posts, notches, noggins and wall plate / ledger boards quickly absorb moisture, leading to rot, decay and premature failure. While the right tape is the proven solution for joist tops, it can be difficult or impractical to apply on these awkward details. HD Timber Coating is designed for those hard to tape areas.



Technical datasheets and product specifications available on request.

PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
WS-HDTC-1G	4KG	4





## The Walther Strong solutions that work best across your timber subframe



- |                                 |                                 |                                  |
|---------------------------------|---------------------------------|----------------------------------|
| 1 Deck Tape                     | 5 Deck Tape & HD Timber Coating | 9 HD Timber Coating              |
| 2 Deck Tape & HD Timber Coating | 6 Deck Tape                     | 10 Not Required                  |
| 3 HD Timber Coating             | 7 HD Timber Coating             | 11 Deck Tape & HD Timber Coating |
| 4 HD Timber Coating             | 8 Not Required                  | 12 Deck Tape & HD Timber Coating |

Solution	Top of joists	Multiple joists	End grain	Top of posts	Speed	Self Seals	Expansion	Life span
Deck Tape	10/10	10/10	5/10	4/10	8/10	10/10	10/10	25 year bond
Deck Tape Pro	10/10	0/10	4/10	3/10	10/10	10/10	10/10	25 year bond
HD Timber Coating	2/10	3/10	10/10	10/10	8/10	1/10	2/10	10 years+

# CLAD TAPE

KEY FEATURES:

- Completely UV stable for long lasting outdoor performance
- Fully waterproof for reliable protection
- Approved replacement for EPDM
- 25-year bond guarantee for ultimate reliability
- Self-seals around all fasteners for a watertight finish
- Made from premium non-butyl material for superior quality
- Made with recycled & sustainable materials



Technical datasheets and product specifications available on request.

PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
CT50PRO20BLK	50MM X 20M	30

# POST TAPE

## KEY FEATURES:

- Designed for smooth timber and steel posts
- Quick and easy application – no tools required
- Available in 100mm, 150mm, and 200mm widths to protect the “rotting zone” above and below ground level
- Made with recycled & sustainable materials
- Completely UV stable for long lasting outdoor performance



Technical datasheets and product specifications available on request.

PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
PT100PRO20BLK	100MM X 20M	15
PT150PRO20BLK	150MM X 20M	10
PT200PRO20BLK	200MM X 20M	6

# POST TAPE INFOGRAPHICS

39


It's important to note that every post requires protection, and since our rolls are designed to cover entire projects, it's helpful to have a guideline for what can realistically be achieved with our 20m rolls.

POST SIZE	OVERLAP ON POSTS	POSTS COVERED PER ROLL
8X8 INCHES (SQUARE)	A MAXIMUM OF 60MM OVERLAP	23 POSTS
7X7 INCHES (SQUARE)	A MAXIMUM OF 60MM OVERLAP	26 POSTS
6X6 INCHES (SQUARE)	A MAXIMUM OF 60MM OVERLAP	30 POSTS
5X5 INCHES (SQUARE)	A MAXIMUM OF 50MM OVERLAP	36 POSTS
4X4 INCHES (SQUARE)	A MAXIMUM OF 40MM OVERLAP	45 POSTS
3X3 INCHES (SQUARE)	A MAXIMUM OF 40MM OVERLAP	55 POSTS
6 INCHES (ROUND)	A MAXIMUM OF 40MM OVERLAP	40 POSTS
4 INCHES (ROUND)	A MAXIMUM OF 30MM OVERLAP	68 POSTS
2 INCHES (ROUND)	A MAXIMUM OF 20MM OVERLAP	110 POSTS

*\*All sizes tried and tested to specifications mentioned above\**

- DOES NOT require any other tools to apply
- Non-Butyl
- Completely UV Stable
- Easy-to-tear
- Quick and Easy Installation

We give the option to acquire a measuring sticker to have for a demo area for the merchant.



Measuring stickers come in one size only  
(L) 115cm x (W) 40cm

# HD POST TAPE

## KEY FEATURES:

- Specialist M50+ morphing rubber tape for incised fence posts
- Made from renewable and fully recyclable materials
- No tools or specialist equipment required for application
- Fully waterproof for reliable outdoor protection
- 25-year bond guarantee
- 100% non-toxic and solvent-free



- ✓ BONDS TO ALL TIMBER POSTS
- ✓ NO ADDITIONAL TOOLS REQUIRED
- ✓ CAN BE USED WITH ROUND, SQUARE & STEEL POSTS


Technical datasheets and product specifications available on request.

PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
HD-PT200PRO10	200MM X 10M	4

# SLEEPER TAPE

## KEY FEATURES:

- Quick and easy to apply – no tools required
- 25-year bond guarantee for ultimate reliability
- Made with recycled & sustainable materials
- Completely UV stable for reliable outdoor durability
- Designed to protect soil contact points and areas prone to moisture
- For smooth timber only - for rough sawn, use HD Sleeper Tape



Technical datasheets and product specifications available on request.



PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
SLP200PRO20BLK	200MM X 20M	6
SLP250PRO20BLK	250MM X 20M	6
SLP300PRO20BLK	300MM X 20M	5



# HD SLEEPER TAPE

## KEY FEATURES:

- Specialist M50+ morphing rubber tape for incised sleepers
- 25-year bond guarantee for long lasting reliability
- Made from renewable and fully recyclable materials
- No tools or specialist equipment required for easy application
- Fully waterproof for superior outdoor protection
- 100% non-toxic and solvent-free



- ✓ ULTIMATE WATERPROOF PROTECTION
- ✓ PREVENTS TIMBER DECAY
- ✓ FREE FROM SOLVENTS AND HARSH CHEMICALS
- ✓ WORKS WITH INCISED AND ROUGH TIMBERS

Technical datasheets and product specifications available on request.

PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
HD-SLEEPER300X10	300MM X 10M	2

# RILICONE

## KEY FEATURES:

- Food hygiene approved for safe use in kitchens and food areas
- Premium quality sealant for professional results
- Anti-fungal to prevent mould and mildew
- UV stable and ageing resistant for long lasting performance
- High adhesion with durable, soft-elastic properties and outstanding resilience
- Low shrinkage during curing for a neat, reliable finish



Rilicone is ‘**Reliable Silicone**’ - why is this important? With a history of having poorly manufactured silicones in varying mixtures and qualities, you never really know what you’re going to get.

Technical datasheets and product specifications available on request.

PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
RIL-01	TRANSPARENT 310ML TUBE	24
RIL-02	WHITE 310ML TUBE	24
RIL-03	BROWN 310ML TUBE	24

# SMOOTHING SPRAY

## KEY FEATURES:

- Solvent free
- Creates smooth surfaces and clean edges
- Produces visually flawless sealant finishing beads
- Helps prevent mould growth
- Speeds up the silicone curing process, saving time



### STEP 1



### STEP 2



### STEP 3




Technical datasheets and product specifications available on request.

PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
RIL-SMOO	500ML	6

# JOINT SPATULAS

KEY FEATURES:

- Set of 4 flexible plastic Joint Spatulas
- Helps create a watertight seal
- Prevents contamination of silicone for hygienic application
- Produces a clean, consistent finish
- Offers 16 different bead finishes for versatility



The numbers represent the size (in millimetres) of the finished silicone bead, whether it is square, round, or flat.

Specifically designed to press the sealant into the joint to create a complete watertight seal.

Technical datasheets and product specifications available on request.

PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
RIL-SPAT	4 PIECE (16 EDGE) JOINT SPATULA	10

# CLEANROOM TAPE

## KEY FEATURES:

- Designed for renovation or plastering to protect delicate surfaces
- High adhesion for reliable performance
- Insulates up to 600 V
- Leaves no marks or residue when removed
- Easy to tear by hand with unique tear ribbing
- ROHS certified and compliant with COSHH regulations



## CORREX SHEETING

Holds sheets in place, repositionable and leaves no residue



## TEMPORARY PROTECTION

On delicate important surfaces that can't be damaged



## INTERNAL WINDOW PROTECTION

During Renovation or plastering

*Technical datasheets and product specifications available on request.*

PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
CR-ORN50X33/1	50MM X 33M	24

# FLAME FIGHTER TAPE

## KEY FEATURES:

- Complete a firewall with no plaster required
- Alternative to conventional paper and fiberglass tape
- Rated for one and two hour fire resistance
- Easy, plaster-less application
- Self-adhesive tape bonds directly with plasterboard
- Suitable for wood, steel, and masonry construction

Manufactured by  




- ✓ COMES WITH A FREE APPLICATOR
- ✓ CLASSIFIED AS NON-COMBUSTIBLE
- ✓ APPROVED FOR WALLS AND CEILINGS
- ✓ CLEAN, DUST FREE FINISH

Technical datasheets and product specifications available on request.


PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
WS-T/FLAMEFIGHTER	50MM X 76M	12



# ALLCON 10

## KEY FEATURES:

- Frost-proof
- Low odour
- Short term resistance to temperatures up to +120°C
- Single component
- No primer needed
- Test report in accordance with DIN EN 204 D4
- Holds 130kg per square centimetre
- Suitable for indoor and outdoor use
- Fully cures in just 7 to 10 minutes



 CEMENT	 PLASTIC	 WOOD	 BRICK
 METAL	 MDF / CHIP	 PORCELAIN	 STONE

Technical datasheets and product specifications available on request.

PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
BEKO 260 100 150 EN	150ML	20
BEKO 260 100 310 EN	310ML	12

# MS-FLEX

## KEY FEATURES:

- Weather resistant
- Excellent chemical resistant
- 80% instant grab strength
- No solvents or isocyanates
- Paintable
- Does NOT shrink
- Environmentally compliant
- Completely water resistant
- Indoor and outdoor use



Technical datasheets and product specifications available on request.

PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
BEKO 246 2900 EN	TRANSPARENT 300ML	12
BEKO 246 290 EN	WHITE 300ML	12
BEKO 246 290 2 EN	BLACK 300ML	12
BEKO 246 290 3E N	GREY 300ML	12
BEKO 246 290 4EN	BEIGE 300ML	12

# TECLINE BIO UNIVERSAL OIL

## KEY FEATURES:

- Removes squeaks and rattles
- Suitable for indoor and outdoor use
- Does not drip or run off surface resulting in a long-term fix
- Displaces water
- Easy-to-aim application - also works when the can is upside down



Technical datasheets and product specifications available on request.

PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
BEKO 298 5 150EN	150ML	12
BEKO 298 5 400EN	400ML	12

# SILICONE PRO4
























## KEY FEATURES:

- Weather resistant
- Excellent chemical resistant
- 80% instant grab strength
- No solvents or isocyanates
- Paintable
- Does NOT shrink
- Environmentally compliant
- Completely water resistant
- Indoor and outdoor use



Technical datasheets and product specifications available on request.

	PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
	BEKO 224 03EN	310ml Light Grey	20
	BEKO 224 04EN	310ml Manhattan	20
	BEKO 224 05EN	310ml Concrete Grey	20
	BEKO 224 06EN	310ml Jasmine Maple	20
	BEKO 224 07EN	310ml Bahama Beige/Light Oak	20

	PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
	BEKO 224 08EN	310ml Tan/Light Beech	20
	BEKO 224 09EN	310ml Dark Brown Mahogany Teak	20
	BEKO 224 10EN	310ml Black	20
	BEKO 224 11EN	310ml Medium Brown/Beech/Dark Oak	20
	BEKO 224 12EN	310ml Caramel/Spruce/Larch	20
	BEKO 224 13EN	310ml Silver Grey	20
	BEKO 224 14EN	310ml Anthracite	20
	BEKO 224 15EN	310ml Aluminium Silver	20
	BEKO 224 16EN	310ml Terracotta	20
	BEKO 224 17EN	310ml Transparent Grey	20
	BEKO 224 18EN	310ml Old Lace	20
	BEKO 224 19EN	310ml Pergamon	20
	BEKO 224 20EN	310ml Cement Grey	20
	BEKO 224 21EN	310ml Basalt	20
	BEKO 224 22EN	310ml Oak	20
	BEKO 224 23EN	310ml Chestnut	20
	BEKO 224 24EN	310ml Walnut	20
	BEKO 224 25EN	310ml Bronze	20
	BEKO 224 26EN	310ml Dark Grey	20
	BEKO 224 27EN	310ml Sanitary Grey	20
	BEKO 224 28EN	310ml Grey White	20
	BEKO 224 29EN	310ml Beige/Alder	20
	BEKO 224 34EN	310ml Pale Brown/Teak	20

# ALLCLEAN SURFACE CLEANER

## KEY FEATURES:

- Dissolves grease easily
- Removes tar, oil, putty, grease, silicone, adhesive, corrosion protection agents
- Suitable for use on plastic, metal, glass, painted surfaces & acrylic [among others]
- Quick and safe
- Time saving



Technical datasheets and product specifications available on request.

PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
BEKO 266 120 0500EN	500ML CAN	12



# SPEED-EX PAINT STRIPPER

## KEY FEATURES:

- Strips paint, removes and dissolves
- Highly effective after only 10 minutes
- Harmless to skin
- Gel-form consistency
- Does not affect health or act as an irritant
- Low odour
- Contains no methylene chloride or N-methylpyrrolidone
- Biocides and preservatives
- Acid and alkali free
- Suitable for mineral substrates, metal, glass and wood



Technical datasheets and product specifications available on request.

PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
BEKO 299 60 0750	750ML	6
BEKO 299 60 2500	2.5L	2
BEKO 299 60 5000	5L	1

# TECLINE LEAK DETECTOR SPRAY

## KEY FEATURES:

- For regular maintenance inspection leak detection
- Harmless to skin
- Environmentally friendly
- Usable from +5°C to +40°C
- Has a 360° valve



Technical datasheets and product specifications available on request.


PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
BEKO 296 1 400 EN	400ML CAN	12

# HYDRO-STOP

## KEY FEATURES:

- Simple and effective waterproofing for bathrooms and wet rooms
- Highly flexible so will not crack in future [especially with the regular fluctuations in temperature and humidity in these environments]
- UV and weather proof
- Resistant to ageing
- Can be used on damp mineral surfaces
- Also suitable for use outside on roofs and to prevent leaks

100%  
WATERPROOF



Technical datasheets and product specifications available on request.

PRODUCT CODE	PRODUCT DESCRIPTION	BOX QTY
BEKO 237 2 001EN	1KG RESEALABLE TIN	6

# PROFESSIONALS TRUST WALTHER STRONG

To request product samples, technical data, or detailed specifications, please contact us.



01780 437222



[sales@waltherstrongandco.com](mailto:sales@waltherstrongandco.com)



[www.waltherstrong.com](http://www.waltherstrong.com)

Various POS options available upon request.

**WALTHER  
STRONG®**